



Amoco Production Company

CASING AND TUBING TALLY

LEASE/UNIT/FACILITY UPPR 60 PAN AM F WELL No. 1 DATE 08-18, 1981PIPE RUN SIZE 5 1/2 WEIGHT 15.50 GRADE K-55 TYPE JOINT ST+C MAKE _____ NO. FT. _____PIPE RUN SIZE 5 1/2 WEIGHT 17* GRADE K-55 TYPE JOINT ST+C MAKE _____ NO. FT. _____

PIPE RUN SIZE _____ WEIGHT _____ GRADE _____ TYPE JOINT _____ MAKE _____ NO. FT. _____

NO.	LENGTH OF JOINT	NO.	LENGTH OF JOINT	NO.	LENGTH OF JOINT	NO.	LENGTH OF JOINT	NO.	LENGTH OF JOINT	NO.	LENGTH OF JOINT	TALLY OF JOINTS NOT RUN
1	80	51	42 26	101	40 94	151	39 91	201		251		NO LENGTH OF JOINT
2	34 44	52	42 10	102	40 80	152	41 97	202		252		1 42 35
3	1 60	53	42 25	103	41 83	153	42 32	203		253		2 41 50
4	44 09	54	42 84	104	42 53	154	41 92	204		254		3 41 27
5	43 67	55	42 45	105	39 44	155	39 51	205		255		4 41 04
6	38 85	56	42 76	106	41 86	156	42 70	206		256		5 42 47
7	46 20	57	41 90	107	42 76	157	40 58	207		257		6 41 60
8	44 76	58	41 82	108	37 54	158	40 80	208		258	Cut off	7 35 81
9	45 --	59	41 78	109	42 58	159	42 31	209		259		8
10	42 86	60	42 47	110	40 88	160	42 17	210		260		9
11	43 94	61	42 04	111	42 36	161	42 19	211	S. SLEEVE	261		10
12	45 29	62	42 18	112	42 02	162	42 42	212		262		11
13	42 15	63	41 75	113	41 38	163	41 34	213		263		12
14	41 68	64	41 98	114	41 26	164	42 27	214		264		13
15	41 10	65	41 98	115	40 28	165	39 47	215		265		14
16	40 --	66	42 03	116	42 03	166	41 78	216		266		15
17	43 84	67	42 29	117	39 25	167	42 14	217		267		16
18	44 21	68	42 70	118	42 32	168	42 65	218		268		17
19	45 96	69	41 56	119	41 91	169	41 65	219		269		18
20	44 77	70	42 38	120	41 94	170	42 22	220		270		19
21	42 63	71	42 29	121	40 95	171	42 27	221		271		20
22	45 19	72	41 30	122	38 03	172	42 13	222		272		21
23	44 96	73	42 22	123	41 56	173	42 48	223		273		22
24	41 65	74	41 26	124	42 12	174	42 22	224		274		23
25	42 30	75	42 38	125	42 45	175	42 27	225		275		24
26	41 13	76	42 32	126	41 07	176	42 59	226				246 04
27	42 19	77	42 30	127	40 88	177	42 36	227				
28	42 42	78	42 19	128	41 12	178	42 21	228				
29	40 80	79	41 54	129	41 82	179	41 64	229				
30	41 22	80	42 31	130	41 67	180	42 39	230				
31	41 38	81	42 50	131	40 65	181	42 36	231				
32	40 65	82	40 97	132	41 61	182	42 05	232				
33	41 85	83	42 30	133	42 31	183	41 99	233				
34	41 66	84	41 66	134	40 85	184	41 90	234				
35	41 18	85	42 50	135	42 38	185	41 45	235				
36	42 30	86	42 74	136	41 41	186	41 18	236				
37	42 30	87	42 17	137	40 50	187	42 33	237				
38	42 14	88	41 63	138	42 09	188	41 83	238				
39	41 96	89	42 08	139	41 58	189	42 35	239	OUT			
40	41 24	90	41 17	140	39 99	190	41 50	240	OUT			
41	42 23	91	39 40	141	41 92	191	41 27	241	OUT			
42	42 76	92	40 77	142	41 92	192	41 04	242	OUT			
43	40 13	93	41 91	143	41 37	193	42 47	243	OUT			
44	41 97	94	39 33	144	42 07	194	41 60	244	OUT			
45	41 57	95	42 73	145	42 08	195	42 27	245				
46	41 95	96	37 12	146	40 90	196	43 84	246				
47	42 28	97	41 36	147	39 40	197		247				
48	42 03	98	42 11	148	41 98	198		248				
49	41 99	99	42 22	149	41 07	199		249				
50	42 24	100	41 89	150	41 36	200		250				

UP 60 F #1
NO. JOINTS DELIVERED 194
NO. JOINTS RUN 188
TOTAL RUN—OVERALL 7834.04
OFF FOR THREADS 45.04
TOTAL—THREADS OFF 7789.00
TOP PIPE BELOW
☐ ROTARY DRIVE BUSHING 11.00
☐ DERRICK FLOOR
DEPTH LANDED 7800.00
REMARKS: CEMENT W/ 200 SHS
REG. 20% 100 MESH SAND
18% SALT .75% CFR2
0.4% MOLAP 9
Slipping Sleeve AT 1177'
Plug DOWN 0845 08-18-81
RIG RELEASE 10:45 08-18-81
Measure tubular goods with steel tape only. Use white tape when possible.
Record tape readings in feet and hundredths.
SS AT 1177'