

Document Number:
401807040

Date Received:

DRILLING COMPLETION REPORT

This form is to be submitted within 30 days of the setting of production casing, the plugging of a dry hole, the deepening or sidetracking of a well, or any time the wellbore configuration is changed. If the well is deepened or sidetracked a new Form 5 is required. If an attempt has been made to complete/produce a well, then the operator shall submit Form 5A (Completed Interval Report.) If the well has been plugged, a form 6 (Well Abandonment Report) is required.

Completion Type Final completion Preliminary completion

OGCC Operator Number: 10311 Contact Name: Christi Ng
 Name of Operator: SRC ENERGY INC Phone: (720) 616.4300
 Address: 1675 BROADWAY SUITE 2600 Fax: (720) 616.4301
 City: DENVER State: CO Zip: 80202

API Number 05-123-46244-00 County: WELD
 Well Name: Troutd Well Number: 8C-23-M
 Location: QtrQtr: NENW Section: 27 Township: 6N Range: 66W Meridian: 6
 Footage at surface: Distance: 760 feet Direction: FNL Distance: 1715 feet Direction: FWL
 As Drilled Latitude: 40.464592 As Drilled Longitude: -104.767207

GPS Data:
 Date of Measurement: 07/12/2018 PDOP Reading: 1.5 GPS Instrument Operator's Name: Ryan Desmond

** If directional footage at Top of Prod. Zone Dist.: 747 feet. Direction: FSL Dist.: 2527 feet. Direction: FEL
 Sec: 22 Twp: 6N Rng: 66W
 ** If directional footage at Bottom Hole Dist.: 787 feet. Direction: FSL Dist.: 462 feet. Direction: FEL
 Sec: 23 Twp: 6N Rng: 66W

Field Name: WATTENBERG Field Number: 90750
 Federal, Indian or State Lease Number: _____

Spud Date: (when the 1st bit hit the dirt) 06/03/2018 Date TD: 09/01/2018 Date Casing Set or D&A: 09/02/2018
 Rig Release Date: 09/23/2018 Per Rule 308A.b.

Well Classification:
 Dry Oil Gas/Coalbed Disposal Stratigraphic Enhanced Recovery Storage Observation

Total Depth MD 15140 TVD** 7115 Plug Back Total Depth MD 15011 TVD** 7114
 Elevations GR 4720 KB 4745 **Digital Copies of ALL Logs must be Attached per Rule 308A**

List Electric Logs Run:
MWD/LWD, CBL, MUD (Resistivity/GR in API: 05-123-46278)

CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Top	Cmt Bot	Status
CONDUCTOR	26	16	55	0	40	38	0	40	VISU
SURF	13+1/2	9+5/8	36	0	1,806	663	0	1,806	VISU
1ST	8+1/2	5+1/2	20	0	15,094	2,066	10	15,006	CBL

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to COGCC)
	Top	Bottom	DST	Cored	
PARKMAN	3,765		NO	NO	
SUSSEX	4,252		NO	NO	
SHANNON	4,929		NO	NO	
SHARON SPRINGS	7,007		NO	NO	
NIOBRARA	7,045		NO	NO	
FORT HAYS	7,548		NO	NO	
CODELL	7,591		NO	NO	
CARLILE	9,375		NO	NO	

Comment:

Top of productive zone footages are estimated and based on the top possible legal perforation point within the unit. The estimated date of completion of the pad is 4th quarter 2018. The actual top of productive zone footages will be provided in the comments on the Form 5A when the well has been completed. The BHL footages are from the "Projection to Bit" numbers listed on the first page of the directional survey.

No open hole resistivity log was ran on this well. Open hole resistivity log with gamma ray ran on Troudt 25C-29-L, API# 05-123-46278, which shares the same pad.

Surface and production casing setting depths on Surface Cement Job Summary and Production Cement Job Summary are incorrect. Reported depths on casing tab, 1806' is the accurate surface csg setting depth and 15094' is the accurate production csg setting depth.

Each attachment and log run during the drilling and completion of a well is intended to fulfill a specific purpose. At times, vendors that run these logs or jobs put additional data in their report that is not critical or relevant to the technical purpose of their job. This data is not verified with SRC Energy and at times is not 100% accurate. For example, setting depths for a liner, date casing was set, or TD dates on a mud log may not be accurate. SRC Energy confirms setting depths through either daily drilling reports or liner reports, confirms date casing was set through daily drilling reports, and confirms TD through either our Pason system or daily drilling reports. Additionally, SRC Energy confirms liner tops through liner reports and not the CBL. Synergy is not able to request that these vendors not include this information in their report.

A formal as-drilled was performed and is attached with this submittal as verification of the surface location and ground elevation. Any other attachment that shows a different surface location or ground elevation is not accurate.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Christi NgTitle: Sr. Regulatory Analyst

Date: _____

Email: cng@srcenergy.com

Attachment Check List

Att Doc Num	Document Name	attached ?	
Attachment Checklist			
401845321	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
401845324	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Other Attachments			
401845306	LAS-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845310	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845313	LAS-MUD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845317	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845318	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845319	WELL LOCATION PLAT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401845326	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401846489	PDF-MUD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

