



October 19, 2018

Eagle Environmental Consulting, Inc.

Dan Coloccia

4101 Inca Street

Denver

CO 80211

Project Name - SRC - Ikenouye West Pit

Project Number - [none]

Attached are your analytical results for SRC - Ikenouye West Pit received by Origins Laboratory, Inc. October 16, 2018. This project is associated with Origins project number Y810254-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Ikenouye West Pit

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-01	Y810254-01	Water	October 16, 2018 11:30	10/16/2018 14:55
MW-02	Y810254-02	Water	October 16, 2018 10:15	10/16/2018 14:55
MW-03	Y810254-03	Water	October 16, 2018 10:50	10/16/2018 14:55
MW-04	Y810254-04	Water	October 16, 2018 11:00	10/16/2018 14:55
MW-05	Y810254-05	Water	October 16, 2018 11:20	10/16/2018 14:55
MW-06	Y810254-06	Water	October 16, 2018 11:10	10/16/2018 14:55
MW-07	Y810254-07	Water	October 16, 2018 10:40	10/16/2018 14:55
MW-08	Y810254-08	Water	October 16, 2018 10:25	10/16/2018 14:55

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y810254

Client: Eagle

Client Project ID: SRC - Ikenouye West Pit

Checklist Completed by: JG

Shipped Via: HD

(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 10/17/2018

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other:

(Describe)

Cooler Number/Temperature: 1 / 4.8 °C / °C / °C / °C

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 8°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (If so, document in comments if they are signed and dated, broken or intact)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>No Sample Date</u>
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH >10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by (Project Manager) [Signature]

Date/Time Reviewed 10/18/18

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-01

10/16/2018 11:30:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-01 (Water)

BTEX by EPA 8260C

Benzene	1.34	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	84-121			"	"	"	
Surrogate: Toluene-d8	98.7 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-02

10/16/2018 10:15:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-02 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	84-121			"	"	"	"	
Surrogate: Toluene-d8	96.9 %	85-115			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.4 %	84-114			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-03

10/16/2018 10:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-03 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	84-121			"	"	"	"	
Surrogate: Toluene-d8	98.8 %	85-115			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	84-114			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-04

10/16/2018 11:00:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-04 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	84-121			"	"	"		
Surrogate: Toluene-d8	96.8 %	85-115			"	"	"		
Surrogate: 4-Bromofluorobenzene	101 %	84-114			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-05

10/16/2018 11:20:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-05 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	84-121			"	"	"		
Surrogate: Toluene-d8	97.2 %	85-115			"	"	"		
Surrogate: 4-Bromofluorobenzene	101 %	84-114			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-06

10/16/2018 11:10:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-06 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	84-121			"	"	"		
Surrogate: Toluene-d8	97.5 %	85-115			"	"	"		
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-07

10/16/2018 10:40:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-07 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	84-121			"	"	"		
Surrogate: Toluene-d8	97.1 %	85-115			"	"	"		
Surrogate: 4-Bromofluorobenzene	100 %	84-114			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

MW-08

10/16/2018 10:25:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y810254-08 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8J1702	JTD	10/17/2018	10/18/2018	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	84-121			"	"	"		
Surrogate: Toluene-d8	98.9 %	85-115			"	"	"		
Surrogate: 4-Bromofluorobenzene	102 %	84-114			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Blank (B8J1702-BLK1)

Prepared: 10/17/2018 Analyzed: 10/18/2018

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	66		"	62.5	105		84-121			
Surrogate: Toluene-d8	63		"	62.5	100		85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	101		84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Blank (B8J1702-BLK2)

Prepared: 10/17/2018 Analyzed: 10/18/2018

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5	104		84-121			
Surrogate: Toluene-d8	62		"	62.5	99.2		85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	101		84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

LCS (B8J1702-BS1)

Prepared: 10/17/2018 Analyzed: 10/18/2018

Benzene	50.2	1.00	ug/L	50.0		100	73.3-129			
Toluene	48.2	1.00	"	50.0		96.5	76.2-123			
Ethylbenzene	47.9	1.00	"	50.0		95.9	73.6-130			
m,p-Xylene	95.9	2.00	"	100		95.9	76.1-126			
o-Xylene	50.0	1.00	"	50.0		100	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		101	84-121			
Surrogate: Toluene-d8	63		"	62.5		100	85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		100	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

LCS (B8J1702-BS2)

Prepared: 10/17/2018 Analyzed: 10/18/2018

Benzene	49.8	1.00	ug/L	50.0		99.5	73.3-129			
Toluene	49.3	1.00	"	50.0		98.6	76.2-123			
Ethylbenzene	48.8	1.00	"	50.0		97.7	73.6-130			
m,p-Xylene	96.4	2.00	"	100		96.4	76.1-126			
o-Xylene	50.9	1.00	"	50.0		102	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		96.2	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Matrix Spike (B8J1702-MS1)	Source: Y810252-01			Prepared: 10/17/2018 Analyzed: 10/18/2018						
Benzene	45.2	1.00	ug/L	50.0	0.460	89.4	74-130			
Toluene	45.0	1.00	"	50.0	ND	90.1	73-131			
Ethylbenzene	45.8	1.00	"	50.0	0.510	90.5	76-132			
m,p-Xylene	89.8	2.00	"	100	0.670	89.2	69-139			
o-Xylene	45.8	1.00	"	50.0	0.190	91.2	74-131			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		98.3	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		101	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Matrix Spike (B8J1702-MS2)	Source: Y810252-02			Prepared: 10/17/2018 Analyzed: 10/18/2018						
Benzene	44.1	1.00	ug/L	50.0	ND	88.2	74-130			
Toluene	44.0	1.00	"	50.0	ND	87.9	73-131			
Ethylbenzene	44.1	1.00	"	50.0	ND	88.3	76-132			
m,p-Xylene	87.6	2.00	"	100	0.250	87.3	69-139			
o-Xylene	45.0	1.00	"	50.0	ND	89.9	74-131			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		96.9	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Matrix Spike Dup (B8J1702-MSD1)	Source: Y810252-01			Prepared: 10/17/2018 Analyzed: 10/18/2018						
Benzene	49.9	1.00	ug/L	50.0	0.460	98.8	74-130	9.87	20	
Toluene	48.1	1.00	"	50.0	ND	96.2	73-131	6.55	20	
Ethylbenzene	48.3	1.00	"	50.0	0.510	95.6	76-132	5.42	20	
m,p-Xylene	94.3	2.00	"	100	0.670	93.6	69-139	4.89	20	
o-Xylene	49.1	1.00	"	50.0	0.190	97.9	74-131	7.00	20	
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5		98.6	84-121			
Surrogate: Toluene-d8	62		"	62.5		99.4	85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		101	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Ikenouye West Pit

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8J1702 - EPA 5030B (Water)

Matrix Spike Dup (B8J1702-MSD2)	Source: Y810252-02			Prepared: 10/17/2018 Analyzed: 10/18/2018						
Benzene	52.0	1.00	ug/L	50.0	ND	104	74-130	16.5	20	
Toluene	52.3	1.00	"	50.0	ND	105	73-131	17.3	20	
Ethylbenzene	52.1	1.00	"	50.0	ND	104	76-132	16.6	20	
m,p-Xylene	104	2.00	"	100	0.250	103	69-139	16.7	20	
o-Xylene	53.3	1.00	"	50.0	ND	107	74-131	17.0	20	
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		95.7	84-121			
Surrogate: Toluene-d8	64		"	62.5		103	85-115			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.9	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Ikenouye West Pit

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President