

Lincoln County, Colorado

127—Fort Collins-Platner loams, 1 to 5 percent slopes

Map Unit Setting

National map unit symbol: 3jgt
Elevation: 4,400 to 6,000 feet
Mean annual precipitation: 14 to 16 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 135 to 155 days
Farmland classification: Prime farmland if irrigated

Map Unit Composition

Fort collins and similar soils: 50 percent
Platner and similar soils: 35 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Fort Collins

Setting

Landform: Plains
Landform position (two-dimensional): Summit
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Alluvium and/or eolian deposits

Typical profile

A - 0 to 7 inches: loam
Bt - 7 to 13 inches: clay loam
Bk1 - 13 to 30 inches: loam
Bk2 - 30 to 60 inches: loam

Properties and qualities

Slope: 1 to 5 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.20 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water storage in profile: High (about 10.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4e

Hydrologic Soil Group: B
Ecological site: Loamy Plains (R067BY002CO)
Hydric soil rating: No

Description of Platner

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Alluvium and/or eolian deposits

Typical profile

A - 0 to 7 inches: loam
Bt - 7 to 15 inches: clay loam
Bk1 - 15 to 40 inches: silty clay loam
Bk2 - 40 to 60 inches: clay loam

Properties and qualities

Slope: 1 to 5 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high (0.20 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0
to 2.0 mmhos/cm)
Available water storage in profile: High (about 10.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: C
Ecological site: Loamy Plains (R067BY002CO)
Hydric soil rating: No

Minor Components

Ascalon

Percent of map unit: 3 percent
Landform: Plains
Ecological site: Sandy Plains (R067BY024CO)
Other vegetative classification: SANDY PLAINS (067XY024CO_1)
Hydric soil rating: No

Colby

Percent of map unit: 3 percent
Landform: Plains
Ecological site: Loamy Plains (R067BY002CO)
Other vegetative classification: Loamy Plains (067XY002)

Hydric soil rating: No

Karval

Percent of map unit: 3 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: Gravel Breaks (R067BY063CO)

Other vegetative classification: GRAVEL BREAKS
(067XY063CO_1)

Hydric soil rating: No

Pleasant

Percent of map unit: 3 percent

Landform: Depressions

Ecological site: Plains Swale (R067XY010CO)

Hydric soil rating: Yes

Vona

Percent of map unit: 3 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: Sandy Plains (R067BY024CO)

Other vegetative classification: SANDY PLAINS (067XY024CO_1)

Hydric soil rating: No

Data Source Information

Soil Survey Area: Lincoln County, Colorado

Survey Area Data: Version 16, Sep 10, 2018

Lincoln County, Colorado

179—Sampson loam, 0 to 2 percent slopes, rarely flooded

Map Unit Setting

National map unit symbol: 3jjh
Elevation: 4,400 to 6,000 feet
Mean annual precipitation: 11 to 16 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 135 to 155 days
Farmland classification: Prime farmland if irrigated

Map Unit Composition

Sampson, rarely flooded, and similar soils: 90 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Sampson, Rarely Flooded

Setting

Landform: Flood plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Alluvium

Typical profile

A - 0 to 7 inches: loam
Bt - 7 to 36 inches: clay loam
Bk - 36 to 60 inches: loam

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high (0.20 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: Rare
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water storage in profile: High (about 10.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3c
Hydrologic Soil Group: C
Ecological site: Overflow (R067BY036CO)
Hydric soil rating: No

Minor Components

Apishapa, rarely ponded

Percent of map unit: 4 percent

Landform: Depressions

Ecological site: Plains Swale (R067XY010CO)

Hydric soil rating: Yes

Fort collins

Percent of map unit: 3 percent

Landform: Plains

Ecological site: Loamy Plains (R067BY002CO)

Other vegetative classification: LOAMY PLAINS (067XY002CO_1)

Hydric soil rating: No

Vona

Percent of map unit: 3 percent

Landform: Hills

Landform position (three-dimensional): Side slope

Ecological site: Sandy Plains (R067BY024CO)

Other vegetative classification: SANDY PLAINS (067XY024CO_1)

Hydric soil rating: No

Data Source Information

Soil Survey Area: Lincoln County, Colorado

Survey Area Data: Version 16, Sep 10, 2018