

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401889897

Date Received:

01/02/2019

FIR RESOLUTION FORM

Overall Status: FRQ

CA Summary:

3 of 4 CAs from the FIR responded to on this Form

0 CA Completed  
3 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name

Lara-Mesa, Susana

Phone

303-825-4822

Email

cogcc@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 688400974

Inspection Date: 12/28/2018

FIR Submit Date: 12/28/2018

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 336320

Location Name: DIANE-62N66W Number: 28NESE County: WELD

Qtrqr: NESE Sec: 28 Twp: 2N Range: 66W Meridian: 6

Latitude: 40.107220 Longitude: -104.774640

FACILITY - API Number: 05-123-00 Facility ID: 284567

Facility Name: ELAINE Number: 43-28

Qtrqr: NESE Sec: 28 Twp: 2N Range: 66W Meridian: 6

Latitude: 40.107220 Longitude: -104.774640

CORRECTIVE ACTIONS:

2 CA# 121409

Corrective Action: Repair and paint tanks per Rule 804.

Date: 02/28/2019

Response: FACTUAL REVIEW REQUEST

Basis for Review: Corrective action dates are not attainable

Operator Comment: The corrective action to paint the tank falls during the winter, which is not a good season to paint due to temperature. KPK respectfully requests that the CA date be changed to 05-28-2019

COGCC Decision: \_\_\_\_\_

COGCC  
Representative:

3 CA# 121410

Corrective Action: Repair and paint tanks per Rule 804.

Date: 03/28/2019

Response: FACTUAL REVIEW REQUEST

Basis for Review: Corrective action dates are not attainable

Operator Comment: The corrective action to paint the tank falls during the winter, which is not a good season to paint due to temperature. KPK respectfully requests that the CA date be changed to 05-28-2019

COGCC Decision:

COGCC  
Representative:

4 CA# 121411

Corrective Action: Install sign to comply with Rule 210.d.

Date: 01/28/2019

Response: FACTUAL REVIEW REQUEST

Basis for Review: Corrective action dates are not attainable

Operator Comment: The corrective action to paint the tank falls during the winter, which is not a good season to paint due to temperature. KPK respectfully requests that the CA date be changed to 05-28-2019

COGCC Decision:

COGCC  
Representative:

#### OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Susana Lara-Mesa

Signed: \_\_\_\_\_

Title: VP Engineering

Date: 1/2/2019 9:48:58 AM

### ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

--	--

Total Attach: 0 Files