



SRC ENERGY

P&A Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: Quick 21-13

Location: Weld, CO

API: 05-123-15360

Legal: SWNE 21-5N-65W

Current

Proposed

Deepest Water Well (1 mile): 210'

Well History

Spud Date: 12/11/1991

Perfs: Niobrara: 6715' - 6929'

Codell: 7013' - 7027'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Set 15 sx on top of CIBP at 6665' (200' plug)

Perforate at 4300'

Set CICR at 4200'

Pump 70 SX through CICR (300' annulus plug)

Set 15 sx on top of CICR (200' plug)

Cut casing @ 786'

Pump 274 sx @ 836' to surface

Formations

Fox Hills (Btm) 686'
Sussex (Top) 4248'

Niobrara (Top) 6710'
Codell (Top) 7013'

Legend

Existing Cement

Cement Pumped

CIBP

CICR

Surface Hole: 12.25"

Surface Casing:

8.625" 24# @ 450'

275 sacks of cement

786' - Casing Cut

836' - Stub Plug

4200' CICR

4300' Perf

15 sx on top

TOC: 6503 (CBL)'

2 sx

CIBP - 6665'

6715' - 6929'

7013' - 7027'

Production Hole: 7.875"

Production Casing:

4.5" 11.6# @ 7132'

160 sacks of cement

TD: 7164'