

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401901714</div>			
Date Received: <div>01/11/2019</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <div>47120</div>	Contact Name <div>Phil Hamlin</div>	Complete the Attachment Checklist <div>OP OGCC</div>		
Name of Operator: <div>KERR MCGEE OIL & GAS ONSHORE LP</div>	Phone: <div>(970) 515-1161</div>			
Address: <div>P O BOX 173779</div>	Fax: <div>()</div>			
City: <div>DENVER</div> State: <div>CO</div> Zip: <div>80217-3779</div> Email: <div>Phil.Hamlin@anadarko.com</div>				
API Number : <div>05-123 49220 00</div>	OGCC Facility ID Number: <div>460160</div>	Survey Plat		
Well/Facility Name: <div>JDB</div>	Well/Facility Number: <div>15-1HZ</div>	Directional Survey		
Location QtrQtr: <div>SESE</div> Section: <div>15</div> Township: <div>1N</div> Range: <div>66W</div> Meridian: <div>6</div>		Srvc Eqpmt Diagram		
County: <div>WELD</div> Field Name: <div>WATTENBERG</div>		Technical Info Page		
Federal, Indian or State Lease Number: <div></div>		Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

A sample was collected in NENW section 22 1N 66W as a 318A.f initial sample for the MAB 15-15HZ Pad on 12/6/18, facility ID 760225.
Multi-well exception also applies to JDB 15-2HZ API#05-123-49221, JDB 15-3HZ API#05-123-49219, JDB 15-4HZ API#05-123-49223,
JDB 15-5HZ API#05-123-49222, JDB 15-6HZ API#05-123-49213, JDB 15-7HZ API#05-123-49214, JDB 15-8HZ API#05-123-49216,
JDB 15-9HZ API#05-123-49215, JDB 15-10HZ API#05-123-49218, JDB 15-11HZ API#05-123-49217.

Operator Comments:

Attn: Arthur Koepsell

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Tanya Cude
Title: Environmental Scientist Email: Tanya.Cude@Absarokasolutions.com Date: 1/11/2019

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 1/15/2019

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

User Group	Comment	Comment Date
Environmental	A review of information available on COGIS maps indicates that the operator has properly addressed all potential water sources, as defined by the 100 series rules, in the quarter sections within a ½ mile radius of the oil/gas wells.	01/15/2019

Total: 1 comment(s)

Attachment Check List

Att Doc Num	Name
401901714	SUNDRY NOTICE APPROVED-GW
401901735	OTHER
401904948	FORM 4 SUBMITTED

Total Attach: 3 Files