



SRC ENERGY

P&A Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: BRIGGS #17-1

Location: WELD #123

API: 05-123-13332

Legal: SWSE 17 5N 66W

Current

Proposed

Deepest Water Well (1 mile): 95'

Well History

Spud Date: 01/27/1987

Perfs: Niobrara: 7109' - 7332'

Perfs: Codell: 7429' - 7440'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Set CIBP at 7034' MD

Spot 35 sc cement on top (460' plug)

Perf 4-1/2" csg at 2500' MD

Set CICR @ 2400'

Pump 84 sx through CICR (385' annular plug)

Set 9 sx on top of CICR (120' plug)

Cut casing at 989' MD

Pump 323 sx @ 1039' to surface

Formations

| | |
|-----------------|-------|
| Fox Hills (Btm) | 889' |
| Sussex (Top) | 4338' |
| Shannon (Top) | 5007' |
| Niobrara (Top) | 7107' |
| Codell (Top) | 7427' |

TOC: 6620'

Legend

| | |
|--|-----------------|
| | Existing Cement |
| | Cement Pumped |
| | CIBP |
| | CICR |

7109' - 7332'

7429' - 7440'

Production Hole: 7.875"

Production Casing:

4.5" 15.1# @ 7505'

220 sacks of cement

TD: 7550'

989 Casing Cut
1039 Stub Plug

(385' annular plug)

(120' plug on CICR)
2400' - CICR
2500' - Perfs

(460' plug)
35 sx on top
7034 CIBP