

FORM
6Rev
05/18

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401740257

Date Received:

08/22/2018

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 51130

Contact Name: Michael Nicol

Name of Operator: LOCIN OIL CORPORATION

Phone: (281) 362-8600

Address: 2445 TECHNOLOGY FOREST BD #710

Fax: (281) 419-6626

City: THE WOODLANDS State: TX Zip: 77381

Email: mnicol@locinoil.com

For "Intent" 24 hour notice required,

Name: _____ Tel: _____

COGCC contact:

Email: _____

API Number 05-103-08924-00

Well Name: FORK UNIT-FEDERAL

Well Number: 3-15-1-2

Location: QtrQtr: NENW Section: 15 Township: 1S Range: 102W Meridian: 6

County: RIO BLANCO

Federal, Indian or State Lease Number: 44502

Field Name: DOUGLAS CREEK NORTH

Field Number: 17900

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.966633

Longitude: -108.833000

GPS Data:

Date of Measurement: 06/22/2011

PDOP Reading: 1.7

GPS Instrument Operator's Name: D. Estel

Reason for Abandonment: ☐ Dry ☐ Production Sub-economic ☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes ☐ No Estimated Depth: _____Fish in Hole: ☐ Yes ☐ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
MANCOS B	2672	2760	07/24/2018	B PLUG CEMENT TOP	2617

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	131	150	131	0	VISU
1ST	7+7/8	5+1/2	15.5	2,942	200	2,942	1,026	CALC

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 2617 with 6 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 30 sks cmt from 1185 ft. to 1310 ft. Plug Type: CASING Plug Tagged: ☒

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 180 ft. with 85 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. _____ inch casing Plugging Date: 07/25/2018
of _____

*Wireline Contractor: DLD Pipe Recovery Services

*Cementing Contractor: DUCO Inc.

Type of Cement and Additives Used: 15.8ppg Class G cement

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

*ATTACH JOB SUMMARY

Technical Detail/Comments:

Perforate at 180 feet. Circulate 85 sacks 15.8ppg Class G cement down casing and return up annulus. Added 5 sacks 15.8ppg Class G cement down casing and 2 sacks 15.8ppg Class G cement down annulus. Fluid between plugs was 9lb produced brine water.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Michael Nicol

Title: Manager Date: 8/22/2018 Email: mnicol@locinoil.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Duran, Alicia Date: 1/24/2019

CONDITIONS OF APPROVAL, IF ANY:

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

401740257	FORM 6 SUBSEQUENT SUBMITTED
401741415	WELLBORE DIAGRAM
401741416	CEMENT JOB SUMMARY

Total Attach: 3 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)