

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401896829

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322

2. Name of Operator: NOBLE ENERGY INC

3. Address: 1001 NOBLE ENERGY WAY

City: HOUSTON

State: TX

Zip: 77070

4. Contact Name: LOGAN BOUGHAL

Phone: (832) 6397447

Fax:

Email: LOGAN.BOUGHAL@NBLENERGY.COM

5. API Number 05-123-29082-00

7. Well Name: GUTTERSEN STATE D

6. County: WELD

Well Number: 10-24

8. Location: QtrQtr: NESW

Section: 10

Township: 3N

Range: 64W

Meridian: 6

9. Field Name: WATTENBERG

Field Code: 90750

Completed Interval

FORMATION: CODELL

Status: COMMINGLED

Treatment Type:

Treatment Date:

End Date:

Date of First Production this formation: 08/25/2009

Perforations

Top: 6929

Bottom: 6942

No. Holes: 40

Hole size: 0.42

Provide a brief summary of the formation treatment:

Open Hole: ☐

COMMINGLE NIOBRARA & CODELL. CFTP ABOVE CODELL WAS REMOVED 1-22-2010.

This formation is commingled with another formation:

☒ Yes ☐ No

Total fluid used in treatment (bbl):

Max pressure during treatment (psi):

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment:

Min frac gradient (psi/ft):

Total acid used in treatment (bbl):

Number of staged intervals:

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback:

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: J SAND		Status: PRODUCING		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: 08/25/2009	
Perforations	Top: 7400	Bottom: 7462	No. Holes: 112	Hole size: 0.41	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

CFTP ABOVE J SAND REMOVED 1-22-2010.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL		Status: PRODUCING		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: 08/25/2009	
Perforations	Top: 6714	Bottom: 6942	No. Holes: 88	Hole size: _____	

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

COMMINGLE NIOBRARA & CODELL. CFTP ABOVE CODELL REMOVED 1-22-2010.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: \_\_\_\_\_  
 Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 08/25/2009  
 Perforations Top: 6714 Bottom: 6806 No. Holes: 48 Hole size: 0.72  
 Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

COMMINGLE NIOBARA & CODELL.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
 Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
 Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_  
 Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
 Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
 Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
 Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐  
 Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_  
 Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_  
 Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_  
 Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_  
 Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_  
 Reason for Non-Production: \_\_\_\_\_  
 Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_  
 \*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

THIS 5A IS TO REPORT THAT THE CFTP's ABOVE THE JSAND AND CODELL WERE REMOVED ON 1/22/2010.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: LOGAN BOUGHAL  
 Title: REGULATORY ANALYST II Date: \_\_\_\_\_ Email: LOGAN.BOUGHAL@NBLENERGY.COM

### Attachment Check List

Att Doc Num	Name
401920116	OPERATIONS SUMMARY
401920117	OPERATIONS SUMMARY

Total Attach: 2 Files

### General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)