

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401946702

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Callie Fiddes

Phone: (720) 929-4361

Fax:

Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-45251-00

7. Well Name: ROBIN

8. Location: QtrQtr: SESE Section: 9 Township: 1N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 9-13HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 12/09/2018 End Date: 12/22/2018 Date of First Production this formation: 02/06/2019
Perforations Top: 7814 Bottom: 18356 No. Holes: 1272 Hole size: 0.44

Provide a brief summary of the formation treatment:

Open Hole: ☐

PERF AND FRAC FROM 7814-18356.

619 BBL 15% HCL ACID, 476 BBL 7.5% HCL ACID, 18,764 BBL PUMP DOWN, 298,973 BBL SLICKWATER, 318,832 TOTAL FLUID, 8,481,403# 40/70 OTTAWA/ST. PETERS, 8,481,403# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 318832

Max pressure during treatment (psi): 7866

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.93

Total acid used in treatment (bbl): 1095

Number of staged intervals: 53

Recycled water used in treatment (bbl): 3130

Flowback volume recovered (bbl): 17101

Fresh water used in treatment (bbl): 314607

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 8481403

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 02/20/2019 Hours: 24 Bbl oil: 94 Mcf Gas: 78 Bbl H2O: 345
Calculated 24 hour rate: Bbl oil: 94 Mcf Gas: 78 Bbl H2O: 345 GOR: 830
Test Method: Flowing Casing PSI: 2200 Tubing PSI: 1700 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1283 API Gravity Oil: 42
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7238 Tbg setting date: 02/10/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 484' FSL, 1644' FEL, Sec 9.

Anadarko certifies compliance with rule 317.s.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: Email: Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)