














PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB01</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/16/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,717.21</b>	EASTING (ft): <b>2,073,626.48</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,203.120</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>9</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>Not Encountered</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GC	<b>SANDY GRAVEL WITH CLAY</b> ; GC; light brown; fine to coarse-grained; slightly moist; no hydrocarbon odor; Hand Auger					13.7	
		SC	<b>SANDY CLAY</b> ; SC; dark brown; medium plasticity; moist; hydrocarbon odor; black staining; well graded; Hand Auger		SB01 1622			175.0	
5		SW-SM	<b>SAND WITH SOME FINES</b> ; SW-SM; light brown; slightly moist; hydrocarbon odor; black staining; well graded; Hand Auger					249.5	5
		SW-SM	<b>SAND WITH SOME FINES</b> ; SW-SM; light brown; fine-grained; slightly moist; hydrocarbon odor; black staining; well graded		SB01 1715			5.2	
		SW-SM	<b>SAND WITH SOME FINES</b> ; SW-SM; light brown; fine-grained; saturated; hydrocarbon odor; black staining; well graded					101.5	
10									10
		SW-SM	<b>SAND WITH SOME FINES</b> ; SW-SM; gray; fine-grained; saturated; hydrocarbon odor; black staining; well graded					30.1	
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; gray; fine to coarse-grained; saturated; hydrocarbon odor; black staining; well graded					10.1	
15		SW-GW	<b>SANDY GRAVEL</b> ; SW-GW; dark gray; fine to medium-grained; saturated; hydrocarbon odor; black staining; well graded					3.5	15
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; hydrocarbon odor; well graded						










GEO FORM 304 RANGELY BORING LOGS.GPJ STANTEC ENVIRO TEMPLATE 010509 GDT 7/19/17

revised 3/7/19

PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 2 OF 2 <b>SB01</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/16/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,717.21</b>	EASTING (ft): <b>2,073,626.48</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,203.120</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>9</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>Not Encountered</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>--</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
20		GW-SW	Borehole terminated at 20 feet.					5.6	20



PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB02</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/16/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,718.13</b>	EASTING (ft): <b>2,073,666.36</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,202.730</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>6.5</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; light brown; fine to coarse-grained; slightly moist; no hydrocarbon odor; well graded; Hand Auger						
		CL	<b>SANDY/CLAYEY</b> ; CL; dark brown; fine-grained; medium plasticity; slightly moist; hydrocarbon odor; black staining; Hand Auger					57	
5			<b>NO RECOVERY</b>		SB02 1715				5
		SC	<b>SANDY/CLAYEY</b> ; SC; light brown; medium plasticity; saturated; hydrocarbon odor; black staining					1177	
		SW-SM	<b>SAND</b> ; SW-SM; fine-grained; saturated; hydrocarbon odor; black staining; well graded					1847	
10			<b>NO RECOVERY</b>						10
		SC	<b>SANDY/CLAYEY</b> ; SC; saturated; hydrocarbon odor; black staining; sheen and product					974	
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; fine to coarse-grained; saturated; hydrocarbon odor; black staining; saturated with sheen and product					120	
15			<b>NO RECOVERY</b>						15
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; fine to coarse-grained; saturated; hydrocarbon odor; black staining; saturated with sheen and product						
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; fine to coarse-grained; saturated; hydrocarbon odor; black staining; saturated with sheen and product					147	








GEO FORM 304 RANGELY\_BORING\_LOGS.GPJ STANTEC ENVIRO TEMPLATE 010509 GDT 7/19/17

revised 3/7/19


PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 2 OF 2 <b>SB02</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/16/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,718.13</b>	EASTING (ft): <b>2,073,666.36</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,202.730</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>6.5</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>



Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
20		GW-SW	Borehole terminated at 20 feet.					61.8	20


PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB03</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/17/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,733.80</b>	EASTING (ft): <b>2,073,646.12</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,205.234</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>











Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GW-SW	<b>SANDY GRAVEL WITH CLAY</b> ; GW-SW; light brown; fine to coarse-grained; slightly moist; well graded; Hand Auger						
		SW-SC	<b>SANDY/CLAYEY</b> ; SW-SC; light brown; fine to medium-grained; medium plasticity; moist; no hydrocarbon odor; Hand Auger					2.2	
5		SW-SC	<b>SANDY/CLAYEY</b> ; SW-SC; light brown; fine to medium-grained; medium plasticity; moist; no hydrocarbon odor					0.6	5
		MLS	<b>SAND</b> ; MLS; fine-grained; slightly moist; hydrocarbon odor; black staining						
10		GP GW-SW	<b>SANDY GRAVEL</b> ; GP; dark gray; fine to coarse-grained; saturated; hydrocarbon odor; black staining <b>SANDY GRAVEL</b> ; GW-SW; fine to medium-grained; moist; hydrocarbon odor; black staining		SB03 1405			467	10
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; saturated; hydrocarbon odor; black staining; product and sheen on water					554	
15		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; saturated; hydrocarbon odor; some staining; product and sheen on water					468	15


GEO FORM 304 RANGELY BORING LOGS.GPJ STANTEC ENVIRO TEMPLATE 010509.GDT 7/19/17


PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 2 OF 2 <b>SB03</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/17/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,733.80</b>	EASTING (ft): <b>2,073,646.12</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,205.234</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
20		GW-SW	Borehole terminated at 20 feet.					24.2	20







PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB04</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/17/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,704.67</b>	EASTING (ft): <b>2,073,646.82</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,204.199</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GW-SW	<b>SANDY GRAVEL WITH CLAY</b> ; GW-SW; light brown; fine to coarse-grained; slightly moist; no hydrocarbon odor; Hand Auger						
		SC	<b>SANDY/CLAYEY</b> ; SC; light brown; medium plasticity; moist; Hand Auger					0.9	
		SC	<b>SANDY/CLAYEY</b> ; SC; light brown; medium plasticity; moist; hydrocarbon odor; black staining; Hand Auger		SB04 0910			85.4	
5			<b>NO RECOVERY</b>						5
		SC	<b>SANDY/CLAYEY</b> ; SC; light brown; medium plasticity; saturated; hydrocarbon odor; black staining					125	
								125	
10		MLS	<b>SAND</b> ; MLS; light brown; fine-grained; saturated; hydrocarbon odor						10
			<b>NO RECOVERY</b>						
		SC	<b>SANDY/CLAYEY</b> ; SC; light brown; medium plasticity; moist; black staining					105	
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; gray; fine to medium-grained; saturated; hydrocarbon odor					5.4	
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; saturated; hydrocarbon odor; no staining					5.4	
15			<b>NO RECOVERY</b>						15
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; saturated; hydrocarbon odor; no staining					2.3	

PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 2 OF 2 <b>SB04</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/17/17</b>	COMPLETED: <b>5/17/17</b>	NORTHING (ft): <b>1,294,704.67</b>	EASTING (ft): <b>2,073,646.82</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,204.199</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
20		GW-SW	Borehole terminated at 20 feet.						20
25									
30									
35									

PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB05</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/18/17</b>	COMPLETED: <b>5/18/17</b>	NORTHING (ft): <b>1,294,718.34</b>	EASTING (ft): <b>2,073,681.04</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,202.534</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>


Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GW-SW	<b>SANDY GRAVEL WITH FINES</b> ; GW-SW; light brown; slightly moist; Hand Auger						
		SC	<b>CLAYEY SAND</b> ; SC; dark brown; medium plasticity; moist; hydrocarbon odor; black staining; Hand Auger						
5			<b>NO RECOVERY</b>		SB05 0923			48	5
		SC	<b>CLAYEY SAND</b> ; SC; dark brown; medium plasticity; saturated; hydrocarbon odor; black staining						
10			<b>NO RECOVERY</b>		SB05 1000			2912	10
		SC	<b>CLAYEY SAND</b> ; SC; medium plasticity; saturated; hydrocarbon odor; black staining						
					SB05 1015			580	
15		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; fine to medium-grained; saturated; hydrocarbon odor; black staining					145	15
		GW-SW	<b>SANDY GRAVEL</b> ; GW-SW; dark gray; fine to coarse-grained; black staining					780	







GEO FORM 304 RANGELY\_BORING\_LOGS.GPJ STANTEC ENVIRO TEMPLATE 010509 GDT 7/19/17

revised 3/7/19

PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 2 OF 2 <b>SB05</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/18/17</b>	COMPLETED: <b>5/18/17</b>	NORTHING (ft): <b>1,294,718.34</b>	EASTING (ft): <b>2,073,681.04</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,202.534</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>---</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>---</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		SM	<b>SAND</b> ; SM; dark gray; fine-grained; saturated; hydrocarbon odor		SB05 1040			22	
20			Borehole terminated at 20 feet.						20
25									
30									
35									

PROJECT: <b>CS-47</b>		WELL / PROBEHOLE / BOREHOLE NO:	
LOCATION: <b>Rangely, CO</b>		PAGE 1 OF 2 <b>SB06</b>	
PROJECT NUMBER: <b>203706066</b>			
DRILLING: STARTED <b>5/18/17</b>	COMPLETED: <b>5/18/17</b>	NORTHING (ft): <b>1,294,735.07</b>	EASTING (ft): <b>2,073,665.51</b>
INSTALLATION: STARTED	COMPLETED:	GROUND ELEV (ft): <b>5,202.656</b>	TOC ELEV (ft):
DRILLING COMPANY: <b>Cascade</b>		INITIAL DTW (ft): <b>7</b>	BOREHOLE DEPTH (ft): <b>20</b>
DRILLING EQUIPMENT: <b>Geoprobe 7730 DT</b>		STATIC DTW (ft): <b>Not Encountered</b>	WELL DEPTH (ft):
DRILLING METHOD: <b>Airknife/HSA/DP</b>		WELL CASING DIA. (in): <b>--</b>	BOREHOLE DIA.(in): <b>2.25</b>
SAMPLING EQUIPMENT: <b>Acetate liner/HA</b>		LOGGED BY: <b>MHS</b>	CHECKED BY: <b>BAL</b>

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recov. (feet)	Blow Count	Headspace PID (units)	Depth (feet)
		GW-SW	<b>SANDY GRAVEL WITH FINES</b> ; GW-SW; light brown; slightly moist; no hydrocarbon odor; Hand Auger						
		SW-SC	<b>SANDY CLAY</b> ; SW-SC; dark brown; medium plasticity; moist; black staining; Hand Auger						
5			<b>NO RECOVERY</b>		SB06 1110			1009	5
		SW-SM	<b>SAND</b> ; SW-SM; fine-grained; moist; hydrocarbon odor; black staining					1394	
10			<b>NO RECOVERY</b>						10
		SW-SM	<b>SAND</b> ; SW-SM; fine to medium-grained; saturated; hydrocarbon odor; black staining					1267	
15		SW-GW	<b>SANDY GRAVEL</b> ; SW-GW; fine to coarse-grained; product and sheen on water					437	15
		SW-GW	<b>SANDY GRAVEL</b> ; SW-GW; fine to coarse-grained; no odor; no sheen						



GEO FORM 304 RANGELY\_BORING\_LOGS.GPJ STANTEC ENVIRO TEMPLATE 010509.GDT 7/19/17