



**East Bull Creek Well  
EBC Pad 3  
EBC #1  
EBC #1 Lat #1 ST #1**

## **Catamount Energy Partners Proposal Report**

EBC Pad 3, EBC #1



EBC Pad 3, EBC #1



# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #1
<b>Company:</b>		<b>TVD Reference:</b>	EBC #1
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #1
<b>Site:</b>	EBC Pad 3	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #1 Lat #2 ST #1		

<b>Project</b>	East Bull Creek Well		
<b>Map System:</b>	HPGN Colorado State Planes	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	High Precision GPS Network (aka HARN, NAD83/9)		
<b>Map Zone:</b>	Southern Zone		

<b>Site</b>	EBC Pad 3			
<b>Site Position:</b>		<b>Northing:</b>	0 N	<b>Latitude:</b> 33.48902771° N
<b>From:</b>	Map	<b>Easting:</b>	0 E	<b>Longitude:</b> 115.33027986° W
<b>Position Uncertainty:</b>	6946ft	<b>Slot Radius:</b>	0in	<b>Grid Convergence:</b> -6.0°

<b>Well</b>	EBC #1			
<b>Well Position:</b>	<b>+N/-S</b>	1187928ft	<b>Northing:</b>	1187928 N
	<b>+E/-W</b>	2445854ft	<b>Easting:</b>	2445854 E
<b>Position Uncertainty:</b>		1ft	<b>Wellhead Elevation:</b>	6946ft
			<b>Ground Level:</b>	6930ft

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	User Defined	3/1/2018	0.0	0.0	0.0

<b>Proposal</b>	EBC #1 Lat #2 ST #1			
<b>Audit Notes:</b>				
<b>Version:</b>		<b>Phase:</b>		<b>Tie On Depth:</b> 3987ft

Vertical Section:	Depth from TVD (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0	0	0	285.9

Survey Program		1/23/2019			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
0	3727	EBC #1 Pilot	MWD	MWD	
3727	13379	EBC #1 Lat #1	MWD	MWD	
13379	13867	EBC #1 Lat #2 ST #1	MWD	MWD	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
3987	88.1	294.7	3033	1078	-1897					
4430	88.0	305.6	3048	1300	-2279	2.5	0.0	2.5	90.7	
6237	88.0	305.6	3111	2352	-3747	0.0	0.0	0.0	0.0	
7867	87.8	273.0	3173	2883	-5264	2.0	0.0	-2.0	-91.0	
13867	87.8	273.0	3403	3197	-11251	0.0	0.0	0.0	0.0	

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
0	0.0	0.0	0	-6946	0	0	0	0	0.0	0.0	MWD
100	0.0	0.0	100	-6846	0	0	0	0	0.0	0.0	
200	0.0	0.0	200	-6746	0	0	0	0	0.0	0.0	
300	0.0	0.0	300	-6646	0	0	0	0	0.0	0.0	
400	0.0	0.0	400	-6546	0	0	0	0	0.0	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #1
<b>Company:</b>		<b>TVD Reference:</b>	EBC #1
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #1
<b>Site:</b>	EBC Pad 3	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #1 Lat #2 ST #1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
500	0.0	0.0	500	-6446	0	0	0	0	0.0	0.0	
520	0.0	0.0	520	-6426	0	0	0	0	0.0	0.0	
540	0.8	300.0	540	-6406	0	0	0	0	300.0	4.0	
570	2.0	300.0	570	-6376	0	-1	1	1	300.0	4.0	
600	3.2	300.0	600	-6346	1	-2	2	2	300.0	4.0	
630	4.4	300.0	630	-6316	2	-4	4	4	300.0	4.0	
660	5.6	300.0	660	-6286	3	-6	7	7	300.0	4.0	
690	6.8	300.0	690	-6256	5	-9	10	10	300.0	4.0	
720	8.0	300.0	719	-6227	7	-12	14	14	300.0	4.0	
750	9.2	300.0	749	-6197	9	-16	18	18	300.0	4.0	
780	10.4	300.0	779	-6167	12	-20	23	24	300.0	4.0	
810	11.6	300.0	808	-6138	15	-25	28	29	300.0	4.0	
840	12.8	300.0	837	-6109	18	-31	35	36	300.0	4.0	
870	14.0	300.0	867	-6079	21	-37	41	43	300.0	4.0	
900	15.2	300.0	896	-6050	25	-43	49	50	300.0	4.0	
930	16.4	300.0	924	-6022	29	-50	57	58	300.0	4.0	
960	17.6	300.0	953	-5993	34	-58	65	67	300.0	4.0	
990	18.8	300.0	982	-5964	38	-66	74	76	300.0	4.0	
1020	20.0	300.0	1010	-5936	43	-75	84	86	300.0	4.0	
1050	21.2	300.0	1038	-5908	48	-84	94	97	300.0	4.0	
1080	22.4	300.0	1066	-5880	54	-94	105	108	300.0	4.0	
1110	23.6	300.0	1093	-5853	60	-104	116	120	300.0	4.0	
1140	24.8	300.0	1121	-5825	66	-114	128	132	300.0	4.0	
1170	26.0	300.0	1148	-5798	72	-126	141	145	300.0	4.0	
1200	27.2	300.0	1175	-5771	79	-137	154	158	300.0	4.0	
1230	28.4	300.0	1201	-5745	86	-149	167	172	300.0	4.0	
1260	29.6	300.0	1228	-5718	93	-162	181	187	300.0	4.0	
1290	30.8	300.0	1253	-5693	101	-175	196	202	300.0	4.0	
1320	32.0	300.0	1279	-5667	109	-188	211	218	300.0	4.0	
1350	33.2	300.0	1304	-5642	117	-202	227	234	300.0	4.0	
1380	34.4	300.0	1329	-5617	125	-217	243	251	300.0	4.0	
1410	35.6	300.0	1354	-5592	134	-232	260	268	300.0	4.0	
1440	36.8	300.0	1378	-5568	143	-247	277	285	300.0	4.0	
1470	38.0	300.0	1402	-5544	152	-263	294	304	300.0	4.0	
1500	39.2	300.0	1425	-5521	161	-279	313	322	300.0	4.0	
1530	40.4	300.0	1448	-5498	171	-296	331	342	300.0	4.0	
1560	41.6	300.0	1471	-5475	181	-313	350	361	300.0	4.0	
1590	42.8	300.0	1493	-5453	191	-330	370	381	300.0	4.0	
1620	44.0	300.0	1515	-5431	201	-348	390	402	300.0	4.0	
1650	45.2	300.0	1536	-5410	212	-366	410	423	300.0	4.0	
1680	46.4	300.0	1557	-5389	222	-385	431	445	300.0	4.0	
1691	46.8	300.0	1565	-5381	226	-392	439	453	300.0	4.0	
1700	46.8	300.0	1571	-5375	230	-398	445	459	300.0	0.0	
1800	46.8	300.0	1639	-5307	266	-461	516	532	300.0	0.0	
1900	46.8	300.0	1708	-5238	303	-524	587	605	300.0	0.0	
2000	46.8	300.0	1776	-5170	339	-587	657	678	300.0	0.0	
2100	46.8	300.0	1845	-5101	375	-650	728	751	300.0	0.0	
2200	46.8	300.0	1913	-5033	412	-713	799	824	300.0	0.0	
2300	46.8	300.0	1981	-4965	448	-777	870	897	300.0	0.0	
2400	46.8	300.0	2050	-4896	485	-840	940	970	300.0	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #1
<b>Company:</b>		<b>TVD Reference:</b>	EBC #1
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #1
<b>Site:</b>	EBC Pad 3	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #1 Lat #2 ST #1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
2500	46.8	300.0	2118	-4828	521	-903	1011	1043	300.0	0.0	
2600	46.8	300.0	2187	-4759	558	-966	1082	1116	300.0	0.0	
2700	46.8	300.0	2255	-4691	594	-1029	1153	1189	300.0	0.0	
2800	46.8	300.0	2323	-4623	631	-1092	1223	1262	300.0	0.0	
2900	46.8	300.0	2392	-4554	667	-1156	1294	1334	300.0	0.0	
3000	46.8	300.0	2460	-4486	704	-1219	1365	1407	300.0	0.0	
3100	46.8	300.0	2529	-4417	740	-1282	1436	1480	300.0	0.0	
3200	46.8	300.0	2597	-4349	777	-1345	1506	1553	300.0	0.0	
3300	46.8	300.0	2666	-4280	813	-1408	1577	1626	300.0	0.0	
3400	46.8	300.0	2734	-4212	850	-1472	1648	1699	300.0	0.0	
3500	46.8	300.0	2802	-4144	886	-1535	1718	1772	300.0	0.0	
3600	46.8	300.0	2871	-4075	923	-1598	1789	1845	300.0	0.0	
3684	46.8	300.0	2928	-4018	953	-1651	1849	1906	300.0	0.0	
3690	47.7	299.8	2932	-4014	955	-1655	1853	1911	300.0	15.0	
3720	52.2	299.1	2952	-3994	967	-1675	1875	1934	300.0	15.0	
3727	53.3	298.9	2956	-3990	970	-1680	1881	1940	300.0	15.0	MWD
3750	56.7	298.5	2969	-3977	978	-1696	1899	1958	300.0	15.0	
3780	61.1	297.9	2984	-3962	991	-1719	1924	1984	300.0	15.0	
3810	65.6	297.3	2998	-3948	1003	-1743	1950	2011	299.9	15.0	
3840	70.1	296.8	3009	-3937	1016	-1767	1978	2038	299.9	15.0	
3870	74.6	296.3	3018	-3928	1028	-1793	2006	2067	299.8	15.0	
3900	79.0	295.9	3025	-3921	1041	-1819	2034	2096	299.8	15.0	
3930	83.5	295.4	3030	-3916	1054	-1846	2064	2126	299.7	15.0	
3960	88.0	295.0	3032	-3914	1067	-1873	2093	2155	299.7	15.0	
3961	88.1	295.0	3032	-3914	1067	-1873	2094	2156	299.7	15.0	
3987	88.1	294.7	3033	-3913	1078	-1897	2120	2182	299.6	1.0	
4000	88.1	295.1	3033	-3913	1084	-1909	2133	2195	299.6	2.5	
4100	88.1	297.5	3037	-3909	1128	-1999	2231	2295	299.4	2.5	
4200	88.0	300.0	3040	-3906	1176	-2086	2328	2395	299.4	2.5	
4300	88.0	302.4	3043	-3903	1228	-2172	2425	2495	299.5	2.5	
4400	88.0	304.9	3047	-3899	1283	-2255	2520	2594	299.6	2.5	
4430	88.0	305.6	3048	-3898	1300	-2279	2548	2624	299.7	2.5	
4500	88.0	305.6	3050	-3896	1341	-2336	2614	2694	299.9	0.0	
4600	88.0	305.6	3054	-3892	1399	-2418	2708	2793	300.1	0.0	
4700	88.0	305.6	3057	-3889	1458	-2499	2802	2893	300.3	0.0	
4800	88.0	305.6	3061	-3885	1516	-2580	2896	2992	300.4	0.0	
4900	88.0	305.6	3064	-3882	1574	-2661	2990	3092	300.6	0.0	
5000	88.0	305.6	3068	-3878	1632	-2743	3084	3191	300.8	0.0	
5100	88.0	305.6	3071	-3875	1690	-2824	3178	3291	300.9	0.0	
5200	88.0	305.6	3075	-3871	1749	-2905	3272	3391	301.0	0.0	
5300	88.0	305.6	3078	-3868	1807	-2986	3366	3490	301.2	0.0	
5400	88.0	305.6	3082	-3864	1865	-3068	3460	3590	301.3	0.0	
5500	88.0	305.6	3085	-3861	1923	-3149	3555	3690	301.4	0.0	
5600	88.0	305.6	3089	-3857	1981	-3230	3649	3789	301.5	0.0	
5700	88.0	305.6	3092	-3854	2040	-3311	3743	3889	301.6	0.0	
5800	88.0	305.6	3096	-3850	2098	-3392	3837	3989	301.7	0.0	
5900	88.0	305.6	3099	-3847	2156	-3474	3931	4088	301.8	0.0	
6000	88.0	305.6	3103	-3843	2214	-3555	4025	4188	301.9	0.0	
6100	88.0	305.6	3106	-3840	2272	-3636	4119	4288	302.0	0.0	
6200	88.0	305.6	3110	-3836	2331	-3717	4213	4388	302.1	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #1
<b>Company:</b>		<b>TVD Reference:</b>	EBC #1
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #1
<b>Site:</b>	EBC Pad 3	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #1 Lat #2 ST #1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
6237	88.0	305.6	3111	-3835	2352	-3747	4248	4424	302.1	0.0	
6300	88.0	304.4	3113	-3833	2388	-3799	4307	4487	302.2	2.0	
6400	87.9	302.4	3117	-3829	2443	-3883	4403	4587	302.2	2.0	
6500	87.9	300.3	3121	-3825	2495	-3968	4499	4687	302.2	2.0	
6600	87.9	298.3	3124	-3822	2544	-4055	4596	4787	302.1	2.0	
6700	87.9	296.3	3128	-3818	2590	-4144	4694	4887	302.0	2.0	
6800	87.9	294.3	3132	-3814	2633	-4234	4792	4986	301.9	2.0	
6900	87.8	292.3	3135	-3811	2672	-4326	4892	5085	301.7	2.0	
7000	87.8	290.3	3139	-3807	2709	-4419	4991	5183	301.5	2.0	
7100	87.8	288.3	3143	-3803	2742	-4513	5091	5281	301.3	2.0	
7200	87.8	286.3	3147	-3799	2772	-4609	5191	5378	301.0	2.0	
7300	87.8	284.3	3151	-3795	2798	-4705	5291	5474	300.7	2.0	
7400	87.8	282.3	3155	-3791	2821	-4802	5390	5569	300.4	2.0	
7500	87.8	280.3	3158	-3788	2841	-4900	5490	5664	300.1	2.0	
7600	87.8	278.3	3162	-3784	2857	-4999	5589	5758	299.7	2.0	
7700	87.8	276.3	3166	-3780	2870	-5098	5688	5850	299.4	2.0	
7800	87.8	274.3	3170	-3776	2879	-5197	5786	5941	299.0	2.0	
7867	87.8	273.0	3173	-3773	2883	-5264	5851	6002	298.7	2.0	
7900	87.8	273.0	3174	-3772	2885	-5297	5884	6032	298.6	0.0	
8000	87.8	273.0	3178	-3768	2890	-5397	5981	6122	298.2	0.0	
8100	87.8	273.0	3182	-3764	2895	-5497	6079	6213	297.8	0.0	
8200	87.8	273.0	3185	-3761	2901	-5596	6176	6303	297.4	0.0	
8300	87.8	273.0	3189	-3757	2906	-5696	6274	6395	297.0	0.0	
8400	87.8	273.0	3193	-3753	2911	-5796	6371	6486	296.7	0.0	
8500	87.8	273.0	3197	-3749	2916	-5896	6468	6578	296.3	0.0	
8600	87.8	273.0	3201	-3745	2922	-5996	6566	6670	296.0	0.0	
8700	87.8	273.0	3205	-3741	2927	-6095	6663	6762	295.6	0.0	
8800	87.8	273.0	3208	-3738	2932	-6195	6761	6854	295.3	0.0	
8900	87.8	273.0	3212	-3734	2937	-6295	6858	6946	295.0	0.0	
9000	87.8	273.0	3216	-3730	2942	-6395	6955	7039	294.7	0.0	
9100	87.8	273.0	3220	-3726	2948	-6495	7053	7132	294.4	0.0	
9200	87.8	273.0	3224	-3722	2953	-6594	7150	7225	294.1	0.0	
9300	87.8	273.0	3228	-3718	2958	-6694	7248	7319	293.8	0.0	
9400	87.8	273.0	3231	-3715	2963	-6794	7345	7412	293.6	0.0	
9500	87.8	273.0	3235	-3711	2969	-6894	7443	7506	293.3	0.0	
9600	87.8	273.0	3239	-3707	2974	-6993	7540	7600	293.0	0.0	
9700	87.8	273.0	3243	-3703	2979	-7093	7637	7693	292.8	0.0	
9800	87.8	273.0	3247	-3699	2984	-7193	7735	7788	292.5	0.0	
9900	87.8	273.0	3251	-3695	2990	-7293	7832	7882	292.3	0.0	
10000	87.8	273.0	3254	-3692	2995	-7393	7930	7976	292.1	0.0	
10100	87.8	273.0	3258	-3688	3000	-7492	8027	8071	291.8	0.0	
10200	87.8	273.0	3262	-3684	3005	-7592	8125	8165	291.6	0.0	
10300	87.8	273.0	3266	-3680	3010	-7692	8222	8260	291.4	0.0	
10400	87.8	273.0	3270	-3676	3016	-7792	8319	8355	291.2	0.0	
10500	87.8	273.0	3274	-3672	3021	-7892	8417	8450	290.9	0.0	
10600	87.8	273.0	3277	-3669	3026	-7991	8514	8545	290.7	0.0	
10700	87.8	273.0	3281	-3665	3031	-8091	8612	8640	290.5	0.0	
10800	87.8	273.0	3285	-3661	3037	-8191	8709	8736	290.3	0.0	
10900	87.8	273.0	3289	-3657	3042	-8291	8806	8831	290.1	0.0	
11000	87.8	273.0	3293	-3653	3047	-8391	8904	8927	290.0	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #1
<b>Company:</b>		<b>TVD Reference:</b>	EBC #1
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #1
<b>Site:</b>	EBC Pad 3	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #1 Lat #2 ST #1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
11100	87.8	273.0	3297	-3649	3052	-8490	9001	9022	289.8	0.0	
11200	87.8	273.0	3301	-3645	3058	-8590	9099	9118	289.6	0.0	
11300	87.8	273.0	3304	-3642	3063	-8690	9196	9214	289.4	0.0	
11400	87.8	273.0	3308	-3638	3068	-8790	9294	9310	289.2	0.0	
11500	87.8	273.0	3312	-3634	3073	-8889	9391	9406	289.1	0.0	
11600	87.8	273.0	3316	-3630	3078	-8989	9488	9502	288.9	0.0	
11700	87.8	273.0	3320	-3626	3084	-9089	9586	9598	288.7	0.0	
11800	87.8	273.0	3324	-3622	3089	-9189	9683	9694	288.6	0.0	
11900	87.8	273.0	3327	-3619	3094	-9289	9781	9790	288.4	0.0	
12000	87.8	273.0	3331	-3615	3099	-9388	9878	9887	288.3	0.0	
12100	87.8	273.0	3335	-3611	3105	-9488	9975	9983	288.1	0.0	
12200	87.8	273.0	3339	-3607	3110	-9588	10073	10080	288.0	0.0	
12300	87.8	273.0	3343	-3603	3115	-9688	10170	10176	287.8	0.0	
12400	87.8	273.0	3347	-3599	3120	-9788	10268	10273	287.7	0.0	
12500	87.8	273.0	3350	-3596	3126	-9887	10365	10370	287.5	0.0	
12600	87.8	273.0	3354	-3592	3131	-9987	10463	10466	287.4	0.0	
12700	87.8	273.0	3358	-3588	3136	-10087	10560	10563	287.3	0.0	
12800	87.8	273.0	3362	-3584	3141	-10187	10657	10660	287.1	0.0	
12900	87.8	273.0	3366	-3580	3146	-10287	10755	10757	287.0	0.0	
13000	87.8	273.0	3370	-3576	3152	-10386	10852	10854	286.9	0.0	
13100	87.8	273.0	3373	-3573	3157	-10486	10950	10951	286.8	0.0	
13200	87.8	273.0	3377	-3569	3162	-10586	11047	11048	286.6	0.0	
13300	87.8	273.0	3381	-3565	3167	-10686	11145	11145	286.5	0.0	
13379	87.8	273.0	3384	-3562	3172	-10764	11221	11222	286.4	0.0	MWD
13400	87.8	273.0	3385	-3561	3173	-10785	11242	11242	286.4	0.0	
13500	87.8	273.0	3389	-3557	3178	-10885	11339	11340	286.3	0.0	
13600	87.8	273.0	3393	-3553	3183	-10985	11437	11437	286.2	0.0	
13700	87.8	273.0	3396	-3550	3188	-11085	11534	11534	286.0	0.0	
13800	87.8	273.0	3400	-3546	3194	-11185	11632	11632	285.9	0.0	
13867	87.8	273.0	3403	-3543	3197	-11251	11696	11696	285.9	0.0	

Checked By:	Approved By:	Date:
-------------	--------------	-------

### Disclaimer Notice

Catamount Energy Partners makes no warranty of any kind with respect to the subject matter included herein or the completeness or accuracy of this document.

Catamount Energy Partners are not responsible for any actions (or lack thereof) taken as a result of relying on or in any way using information contained in this document and in no event shall be liable for any damages resulting from reliance on or use of this information.