

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401947601

Date Received:

03/05/2019

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: Callie Fiddes
Phone: (720) 929-4361
Fax:
Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-45248-00
6. County: WELD
7. Well Name: ROBIN
Well Number: 9-14HZ
8. Location: QtrQtr: SESE Section: 9 Township: 1N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 8432 Bottom: 17139 No. Holes: 648 Hole size: 0.44

Provide a brief summary of the formation treatment:

Open Hole: ☐

Carlile: 8432-8888, 16310-16426, 16982-17139

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl):

Max pressure during treatment (psi):

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment:

Min frac gradient (psi/ft):

Total acid used in treatment (bbl):

Number of staged intervals:

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl):

Disposition method for flowback:

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 7981 Bottom: 18444 No. Holes: 648 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

Codell: 7981-8432, 8888-11788, 13141-13159, 13171-15725, 15754-15778, 15924-16310, 16426-16982, 17139-17737, 17776-18444

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 12273 Bottom: 17776 No. Holes: 648 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

Fort Hays: 12273-13141, 13159-13171, 15725-15754, 15778-15924, 17737-17776

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 11788 Bottom: 12273 No. Holes: 648 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

Niobrara: 11788-12273

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 12/09/2018 End Date: 12/15/2018 Date of First Production this formation: 02/03/2019
Perforations Top: 7981 Bottom: 18444 No. Holes: 648 Hole size: 0.44

Provide a brief summary of the formation treatment:

Open Hole: ☐

PERF AND FRAC FROM 7981-18444.

24 BBL 15% HCL ACID, 114 BBL 7.5% HCL ACID, 10,463 BBL PUMP DOWN, 187,426 BBL SLICKWATER, 198,027 TOTAL FLUID, 5,695,529# 40/70 OTTAWA/ST. PETERS, 5,695,529# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 198027

Max pressure during treatment (psi): 7750

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.90

Total acid used in treatment (bbl): 138

Number of staged intervals: 27

Recycled water used in treatment (bbl): 1950

Flowback volume recovered (bbl): 18079

Fresh water used in treatment (bbl): 195939

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 5695529

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 02/20/2019 Hours: 24 Bbl oil: 94 Mcf Gas: 92 Bbl H2O: 188
Calculated 24 hour rate: Bbl oil: 94 Mcf Gas: 92 Bbl H2O: 188 GOR: 979
Test Method: Flowing Casing PSI: 2300 Tubing PSI: 1700 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1283 API Gravity Oil: 42
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7381 Tbg setting date: 02/11/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 392' FSL, 1335' FEL, Sec 9.

Anadarko certifies compliance with rule 317.s.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: 3/5/2019 Email: Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num	Name
401947601	FORM 5A SUBMITTED
401947911	OTHER

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)