



SRC ENERGY

P&A Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: Oster-Molander #1

Location: Weld, CO

API: 05-123-09424

Legal: NWSE, 30, 4N65W

Current

Proposed

Deepest Water Well (1 mile): 340'

Well History

Spud Date: 03/17/1978

Perfs: Sussex: 4534'-4552' MD

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Perform CBL and gyro

Set CIBP @ 4459'

Set 23 sx on top of CIBP (300' plug)

Perforate @ 2500'

Set CICR @ 2400'

Pump 60 sx through CICR (300' backside fill)

Set 8 sx on top of CICR (100')

Cut casing @ 1000'

Pump 317 sx @ 1050 sx to surface

Formations

Fox Hills (Btm) 900'

Sussex (Top) 4434'

Legend



Existing Cement



Cement Pumped



CIBP



CICR

Surface Hole: 12.25"

Surface Casing:

8.625" 24# @ 429'

300 sacks of cement

1000' - Casing Cut

1050' - Stub Plug

Est TOC: 2300'

8 sxs on CICR

CICR @ 2400'

2500' Perforate

TOC: 3665 (Calc)'

Sussex: 4534'-4552' MD

Production Hole: 7.875"

Production Casing:

4.5" 11.6# @ 4670'

200 sacks of cement

TD: 4670'

Est TOC: 4159'

23 sx on top

4459' - CIBP

