



Partner Summary Report

Date: 2/7/2019

Report #: 1

Well Name: WARDLAW 20-28

DOL:

Spud Date: 12/30/2004

Well Header

Well Name WARDLAW 20-28	API 05-123-22511	County/Parish WELD	State/Province COLORADO		Total Depth All (TVD) (ftKB)	Current PBTD (ftKB) ORIGINAL HOLE - 6,986.0			
Spud Date 12/30/2004		TD Date 1/3/2004		Rig Release Date 1/4/2004		First Gas Sales			
Actual Latitude (°) 40.45313100		Actual Longitude (°) -104.54987800		Quarter 3 SE	Quarter 4 SE	Section 28	Township 6	Township N/S Dir N	Range E/W Dir W

Job: ABANDON , Job Start Date: 2/7/2019 07:00

Objective P&A WELL		AFE Number
Report Start Date 2/7/2019 07:00	Report End Date 2/7/2019 19:00	Operations Summary SLB TO LOC, SIP 1100/1100/0, HOLD JSA SAFETY MTG W/ ANYTIME, MORU, ND TREE, NU BOP, PU LUBRICATOR AND CCL/GAMMA RAY TOOL, PSI TEST LUBRICATOR TO 2000PSI, BLEED BACK TO 1100PSI, EQUALIZE PSI, TIH TAG PBTD @ 6974FT, RUN LOG, TOOHD CCL/GAMMA AY TOOL, PU 2 3/8 JET CUTTER, TIH CUT 2 3/8 TBG @ 6460FT, TOOHD LD CUTTER, PU MPBT B.P, TIH SET @ 6534FT, TOOHD LD CUTTER AND LUBRICATOR, LOAD ANNULUS W/ 4BBL FRESH H2O, SECURE WELL, SDFN



Partner Summary Report

Date: 2/13/2019

Report #: 3

Well Name: WARDLAW 20-28

DOL:

Spud Date: 12/30/2004

Well Header

Well Name WARDLAW 20-28	API 05-123-22511	County/Parish WELD	State/Province COLORADO	Total Depth All (TVD) (ftKB)	Current PBTD (ftKB) ORIGINAL HOLE - 6,986.0		
Spud Date 12/30/2004	TD Date 1/3/2004	Rig Release Date 1/4/2004		First Gas Sales			
Actual Latitude (°) 40.45313100	Actual Longitude (°) -104.54987800	Quarter 3 SE	Quarter 4 SE	Section 28	Township 6	Township N/S Dir N	Range E/W Dir W

Job: ABANDON , Job Start Date: 2/7/2019 07:00

Objective P&A WELL			AFE Number
Report Start Date 2/13/2019 07:00	Report End Date 2/13/2019 16:00	Operations Summary SLB TO LOC, SIP 1100/1100/0, HOLD JSA SAFETY MTG, PU LUBRICATOR AND PD BAILER, TIH TO SPOT CMT ON TOP MPBT B.P. @ 6534FT [LOST WT],TOOH LOST 32FT OF BAILER IH, WO S/L, HOLD JSA SAFETY MTG W/ CORE TECH, RU S/L, TIH MADE SEVERAL ATTEMPTS TO FISH BAILER W/ NO SUCCESS, RD S/L, RD SLB, SECURE WELL, RDMO	



Partner Summary Report

Date: 2/20/2019

Report #: 4

Well Name: WARDLAW 20-28

DOL:

Spud Date: 12/30/2004

Well Header

Well Name WARDLAW 20-28	API 05-123-22511	County/Parish WELD	State/Province COLORADO	Total Depth All (TVD) (ftKB)	Current PBTD (ftKB) ORIGINAL HOLE - 6,986.0		
Spud Date 12/30/2004	TD Date 1/3/2004	Rig Release Date 1/4/2004		First Gas Sales			
Actual Latitude (°) 40.45313100	Actual Longitude (°) -104.54987800	Quarter 3 SE	Quarter 4 SE	Section 28	Township 6	Township N/S Dir N	Range E/W Dir W

Job: ABANDON , Job Start Date: 2/7/2019 07:00

Objective P&A WELL	AFE Number
-----------------------	------------

Report Start Date 2/20/2019 06:00	Report End Date 2/20/2019 11:00	Operations Summary IWP 1000/1000 SCP-50 BULLS EYE LAID THE BLOWBACK LINE THE NIGHT BEFORE. HAVE RAIN FOR RENT SPOT THE OPEN TOP TANK. HAVE ATLAS DELIVER A TOILET. SPN ARRIVED. NPT WATER TRUCK ARRIVED. GO OVER THE JOB AND JSA WITH SPN, NPT AND BULLS EYE. FINISH HOOKING UP THE HARD LINE. CHECK WELL PRESSURE. OPEN THE TUBING TO THE LINE AND PRESSURE TEST . BLOW THE WELL DOWN. WATCH THE CASING PRESSURE TO SEE WE HAD A PRESSURE DIFFERENTIAL. PUMP DOWN THE TUBING AND ROLL THE OIL AND GAS OUT. 210 BBLS. MIX AND PUMP 2.8 BBLS (13.6 SKS) OF G NEAT. DISPLACE WITH 24 BBLS TO BALANCE THE PLUG AT 6460'-6246'. SHUT DOWN. BOTH SIDES ON A SLIGHT VAC. BLOW THE LINE CLEAN. RD THE FLOW BACK LINE. SHUT THE WELL IN. MO. CEMENT PLUG 6460'-6246' 13.6 SKS 2.8 BBLS
--------------------------------------	------------------------------------	--