

Serial Number 812364 **Sooner 28-6-1**
 Model 5KPSIXP2I
 Units PSI
 Firmware Version R0324 Message Store -----
 Run Index 10
 Logging Type Actual
 Logging Interval 10
 Start Time 11/19/2018 10:02
 Stop Time 11/19/2018 10:35
 Time Reading

Event Event Date
 Battery OK
 Logging Interval, 10
 Tare, 3.9

0	
0	
0	
0	0
10	0
20	0
30	0
40	1.6
50	12
60	20.5
70	50.8
80	90.5
90	124.4
100	152.7
110	176.9
120	202.8
130	242.5
140	277.5
150	306.1
160	318.1
170	319.5
180	327
190	412.8
200	408.7
210	396.5
220	409.1
230	408
240	399.2
250	402.8
260	407.6
270	402.1
280	400.7
290	405.1
300	403.4
310	400.9
320	402.8
330	403.7
340	401.2
350	401.6
360	402.8
370	401.8

380	401.1
390	402
400	401.7
410	400.9
420	401.2
430	401.5
440	400.9
450	400.8
460	401.1
470	400.9
480	400.6
490	400.7
500	400.6
510	400.4
520	400.4
530	400.4
540	400.3
550	400.2
560	400.2
570	400.1
580	400
590	400
600	400
610	399.9
620	399.9
630	399.8
640	399.7
650	399.7
660	399.6
670	399.6
680	399.6
690	399.5
700	399.5
710	399.5
720	399.4
730	399.4
740	399.4
750	399.3
760	399.3
770	399.2
780	399.2
790	399.2
800	399.2
810	399.1
820	399.1
830	399.1
840	399
850	399
860	399
870	399
880	398.9

890	398.9
900	398.9
910	398.9
920	398.8
930	398.8
940	398.8
950	398.8
960	398.7
970	398.7
980	398.7
990	398.7
1000	398.7
1010	398.6
1020	398.6
1030	398.6
1040	398.6
1050	398.6
1060	398.5
1070	398.5
1080	398.5
1090	398.5
1100	398.4
1110	398.4
1120	398.4
1130	398.4
1140	398.4
1150	398.4
1160	398.4
1170	398.3
1180	398.3
1190	398.3
1200	398.3
1210	398.3
1220	398.3
1230	398.3
1240	398.2
1250	398.2
1260	398.2
1270	398.2
1280	398.1
1290	398.1
1300	398.1
1310	398.1
1320	398.1
1330	398.1
1340	398.1
1350	398
1360	398
1370	398
1380	398
1390	398

1400	398
1410	397.9
1420	397.9
1430	397.9
1440	397.9
1450	397.9
1460	397.9
1470	397.8
1480	397.8
1490	397.8
1500	397.8
1510	397.8
1520	397.7
1530	397.7
1540	397.8
1550	397.7
1560	397.7
1570	397.7
1580	397.7
1590	397.7
1600	397.6
1610	397.6
1620	397.7
1630	397.6
1640	397.6
1650	397.6
1660	397.6
1670	397.6
1680	397.6
1690	397.5
1700	397.5
1710	391.2
1720	384.2
1730	374.8
1740	363.2
1750	355.1
1760	347.4
1770	325.5
1780	297.1
1790	275.2
1800	250.6
1810	220.8
1820	182.4
1830	143.4
1840	96.4
1850	56.2
1860	15.5
1870	0.9
1880	0.7
1890	0.8
1900	1.5