

Location

Overall Good:

Signs/Marker:

Type	OTHER		
Comment:	WELL SIGN. WELL SIGN HAD CORRECTIVE ACTION FOR MISSING INFORMATION AND NO EMERGENCY CONTACT NUMBER LISTED FOR LAST 3 INSPECTION DOC#'S 687901280, 691400100 AND 695100275. CORRECTIVE ACTIONS HAVE NOT BEEN ADDRESSED.		
Corrective Action:	IMMEDIATELY INSTALL SIGN THAT COMPLIES WITH Rule 210.b.	Date:	

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Overall Good:

Spills:

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Venting:

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected Facilities

Facility ID: 89182 Type: WELL API Number: 071-06761 Status: PR Insp. Status: PR

COGCC Comments

Comment	User	Date
WELL SIGN. WELL SIGN HAD CORRECTIVE ACTION FOR MISSING INFORMATION AND NO EMERGENCY CONTACT NUMBER LISTED FOR LAST 3 INSPECTION DOC#'S 687901280, 691400100 AND 695100275. CORRECTIVE ACTIONS HAVE NOT BEEN ADDRESSED.	beardsit	04/11/2019

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
695100476	location photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4792362