

Location			
Overall Good: <input checked="" type="checkbox"/>			
Signs/Marker:			
Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:			Date:
Emergency Contact Number:			
Comment:			
Corrective Action:			Date: _____
Good Housekeeping:			
Type	UNUSED EQUIPMENT		
Comment:	2 empty chemical containers east of pump jack. See attached photo		
Corrective Action:	Comply with Rule 603.f .		Date: <u>05/11/2019</u>
Overall Good: <input type="checkbox"/>			
Spills:			
Type	Area	Volume	
In Containment: No			
Comment:			
<input type="checkbox"/> Multiple Spills and Releases?			
Fencing/:			
Type	PUMP JACK		
Comment:	Panel		
Corrective Action:			Date:
Equipment:			
			corrective date
Type: Pump Jack	# 1		
Comment:			
Corrective Action:			Date:
Type: Ancillary equipment	# 4		
Comment:	Electrical control boxes		
Corrective Action:			Date:
Type: Prime Mover	# 1		
Comment:			
Corrective Action:			Date:
Venting:			
Yes/No	NO		
Comment:			
Corrective Action:			Date:
Flaring:			
Type			

Comment:	
Corrective Action:	Date:

Inspected Facilities

Facility ID: 430705 Type: WELL API Number: 123-36262 Status: SI Insp. Status: SI

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____

Comment:

Corrective Action: Date: _____

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Monday, April 15, 2019 at approximately 11:35, I, Inspector Brittani Santistevan, conducted an on-site inspection at JEANIE AB10-01R (Noble Energy), at location #: 430706 in WELD COUNTY, Colorado. While there, I observed shut in location that was locked out, tagged out. During this inspection the following possible compliance issues were observed: 1. (2) unused chemical barrels east side of pump jack. Comply with rule 603f. (Corrective Action Date: May 15, 2019)See attached photo #2.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p> <p>This is also a follow up inspection to DOC# 673801160. Appears that all previous corrective actions have been completed.</p> <p>Continuing education inspection.</p>	santistb	04/15/2019

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
679600605	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4797356