

FORM
21
Rev
08/14

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
401979522
Date Received:
03/20/2019

MECHANICAL INTEGRITY TEST

1. Duration of the pressure test must be a minimum of 15 minutes.
2. An original pressure chart must accompany this report if this test was not witnessed by an OGCC representative.
3. For production wells, test pressures must be at a minimum of 300 psig.
4. New injection wells must be tested to maximum requested injection pressure.
5. For injection wells, test pressures must be at least 300 psig or average injection pressure, whichever is greater.
6. A minimum 300 psi differential pressure must be maintained between the tubing and tubing/casing annulus pressure.
7. Do not use this form if submitting under provisions of Rule 326.a(1)B. or C.
8. Written OGCC notification must be provided 10 days prior to the test via Form 42, Field Operations Notice
9. Packers or bridge plugs, etc., must be set within 100 feet of the perforated interval to be considered a valid test.

Complete the Attachment
Checklist

OP OGCC

OGCC Operator Number: <u>100322</u>	Contact Name: <u>Hunter Dunham</u>			Pressure Chart		
Name of Operator: <u>NOBLE ENERGY INC</u>	Phone: <u>(303) 228-4308</u>			Cement Bond Log		
Address: <u>1001 NOBLE ENERGY WAY</u>				Tracer Survey		
City: <u>HOUSTON</u> State: <u>TX</u> Zip: <u>77070</u>	Email: <u>hunter.dunham@nblenergy.com</u>			Temperature Survey		
API Number : 05- <u>123-22932</u> OGCC Facility ID Number: <u>277295</u>				Inspection Number		
Well/Facility Name: <u>SPIKE STATE D</u> Well/Facility Number: <u>10-23</u>						
Location QtrQtr: <u>SESE</u> Section: <u>10</u> Township: <u>3N</u> Range: <u>64W</u> Meridian: <u>6</u>						

SHUT-IN PRODUCTION WELL INJECTION WELL Last MIT Date: _____

Test Type:

Test to Maintain SI/TA status 5-Year UIC Reset Packer

Verification of Repairs Annual UIC TEST

Describe Repairs or Other Well Activities: NOBLE ABANDONMENT

Wellbore Data at Time of Test				Casing Test	
Injection Producing Zone(s)	Perforated Interval	Open Hole Interval		Use when perforations or open hole is isolated by bridge plug or cement plug; use if cased-hole only with plug back total depth.	
CODL	6934 - 6920				
Tubing Casing/Annulus Test				Bridge Plug or Cement Plug Depth	
Tubing Size:	Tubing Depth:	Top Packer Depth:	Multiple Packers?	6907	
			<input type="checkbox"/>		

Test Data (Use -1 for a vacuum)

Test Date	Well Status During Test	Casing Pressure Before Test	Initial Tubing Pressure	Final Tubing Pressure
03-12-2019	TEMPORARILY ABANDONED	0	0	0

Casing Pressure Start Test	Casing Pressure - 5 Min.	Casing Pressure - 10 Min.	Casing Pressure Final Test	Pressure Loss or Gain
471	465	461	459	-12

Test Witnessed by State Representative? OGCC Field Representative _____

OPERATOR COMMENTS:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Diane Blair
Title: Operations Tech Email: diane.blair@nblenergy.com Date: 3/20/2019

Based on the information provided herein, this Notice (Form 21) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Daigle, Ryan

Date: 4/30/2019

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401979522	FORM 21 SUBMITTED
401979566	FORM 21 ORIGINAL
401979567	PRESSURE CHART

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	<ul style="list-style-type: none">Balance plug was set from 6,501-6,907' w/ 35 sxs cmt per the Form 5A#402014155. Field staff was contacted, balance plug is within the permissible distance from the perforated interval portion of the wellbore, chart is included, pressure remained within acceptable parameters.	04/30/2019

Total: 1 comment(s)