

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402035580

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: CRYSTAL MCCLAIN

Phone: (720) 9294398

Fax:

Email: CRYSTAL.MCCLAIN@ANADARKO.COM

5. API Number 05-123-46248-00

7. Well Name: VERDE

8. Location: QtrQtr: NENW Section: 13 Township: 1N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 13-11HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 02/16/2019 End Date: 03/03/2019 Date of First Production this formation: 04/15/2019
Perforations Top: 7684 Bottom: 18541 No. Holes: 1592 Hole size: 0.44
Provide a brief summary of the formation treatment: Open Hole: ☐

PERF AND FRAC FROM 7684-18541.

1,348 BBL 15% HCL ACID; 21,606 BBL PUMP DOWN; 367,487 BBL SLICKWATER; 390,441 TOTAL FLUID; 1,3436,590# 40/70 GENOA/SAND HILLS; 1,3436,590# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 390441

Max pressure during treatment (psi): 7970

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.89

Total acid used in treatment (bbl): 1348

Number of staged intervals: 55

Recycled water used in treatment (bbl): 1950

Flowback volume recovered (bbl): 10197

Fresh water used in treatment (bbl): 387143

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 13436590

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 05/21/2019 Hours: 24 Bbl oil: 133 Mcf Gas: 117 Bbl H2O: 188
Calculated 24 hour rate: Bbl oil: 133 Mcf Gas: 117 Bbl H2O: 188 GOR: 880
Test Method: FLOWING Casing PSI: 1600 Tubing PSI: 1400 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1306 API Gravity Oil: 51
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7349 Tbg setting date: 05/18/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 426' FNL, 2067' FEL, SEC 13.

Anadarko certifies compliance with rule 317.s.

See attachment for copy of well path through formations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: CRYSTAL MCCLAIN
Title: REGULATORY ANALYST Date: Email: CRYSTAL.MCCLAIN@ANADARKO.COM

Attachment Check List

Att Doc Num	Name
402035632	OTHER

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)