

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402038179

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120	4. Contact Name: Callie Fiddes
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP	Phone: (720) 929-4361
3. Address: P O BOX 173779	Fax:
City: DENVER State: CO Zip: 80217-	Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-47105-00	6. County: WELD
7. Well Name: COWBOY	Well Number: 21-8HZ
8. Location: QtrQtr: SENE Section: 21 Township: 2N Range: 67W Meridian: 6	
9. Field Name: WATTENBERG	Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 03/20/2019 End Date: 04/02/2019 Date of First Production this formation: 04/26/2019
Perforations Top: 7881 Bottom: 21332 No. Holes: 1344 Hole size: 0.44
Provide a brief summary of the formation treatment: Open Hole: ☐

PERF AND FRAC FROM 7881-21332.

651 BBL 15% HCL ACID, 97 BBL 7.5% HCL ACID, 21,295 BBL PUMP DOWN, 475,468 BBL SLICKWATER, 497,511 TOTAL FLUID, 10,782,425# 40/70 OTTAWA/ST. PETERS, 10,782,425# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 497511

Max pressure during treatment (psi): 7762

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.91

Total acid used in treatment (bbl): 748

Number of staged intervals: 56

Recycled water used in treatment (bbl): 1500

Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): 495263

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 10782425

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 05/22/2019 Hours: 24 Bbl oil: 200 Mcf Gas: 356 Bbl H2O: 307
Calculated 24 hour rate: Bbl oil: 200 Mcf Gas: 356 Bbl H2O: 307 GOR: 1780
Test Method: Flowing Casing PSI: 2500 Tubing PSI: 1500 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1297 API Gravity Oil: 46
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7600 Tbg setting date: 05/20/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 2633' FSL, 137' FEL, Sec 21.

Anadarko certifies compliance with rule 317.s.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: Email: Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)