

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402034302

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: Callie Fiddes
Phone: (720) 929-4361
Fax:
Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-46331-00
6. County: WELD
7. Well Name: GEORGE
Well Number: 25-3HZ
8. Location: QtrQtr: SWNE Section: 25 Township: 2N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 10033 Bottom: 17563 No. Holes: 640 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

10033-10847, 11332-11344, 12882-13023, 13327-13456, 13814-13914, 15236-15544, 15737-15845, 16335-17398, 17532-17563

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 8714 Bottom: 18051 No. Holes: 640 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

8714-8980, 9595-10033, 10847-10975, 11344-12882, 13023-13327, 13456-13814, 13914-15236, 15643-15737, 16102-16335, 17398-17532, 17563-18051

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 8980 Bottom: 16102 No. Holes: 640 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

8980-9244, 9344-9595, 10975-11332, 15544-15643, 15862-16102

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 9244 Bottom: 15862 No. Holes: 640 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

9244-9344, 15845-15862

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/06/2019 End Date: 03/17/2019 Date of First Production this formation: 04/17/2019
Perforations Top: 8714 Bottom: 18051 No. Holes: 640 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

PERF AND FRAC FROM 8714-18051.

95 BBL 15% HCL ACID, 176 BBL 7.5% HCL ACID, 14,049 BBL PUMP DOWN, 138,567 BBL SLICKWATER, 152,887 TOTAL FLUID, 4,142,360# 40/70 OTTAWA/ST. PETERS, 4,142,360# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 152887 Max pressure during treatment (psi): 8001

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.89

Total acid used in treatment (bbl): 271 Number of staged intervals: 24

Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 14112

Fresh water used in treatment (bbl): 152616 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 4142360 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/01/2019 Hours: 24 Bbl oil: 160 Mcf Gas: 123 Bbl H2O: 75

Calculated 24 hour rate: Bbl oil: 160 Mcf Gas: 123 Bbl H2O: 75 GOR: 769

Test Method: Flowing Casing PSI: 1700 Tubing PSI: 1400 Choke Size: 12/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1281 API Gravity Oil: 51

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7615 Tbg setting date: 05/27/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 1632' FNL, 1226' FEL, Sec 25.

Anadarko certifies compliance with rule 317.s.

See attachment for copy of well path through formations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: Email Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num Name

402034322 OTHER

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)