

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>402061025</b>			
Date Received: <b>06/04/2019</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>8960</u>	Contact Name <u>Caroline Martin</u>
Name of Operator: <u>BONANZA CREEK ENERGY OPERATING COMPANY LLC</u>	Phone: <u>(720) 3072789</u>
Address: <u>410 17TH STREET SUITE #1400</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>cmartin@quandaryconsultants.com</u>

Complete the Attachment  
Checklist

OP OGCC

API Number : <u>05-123 49893 00</u>	OGCC Facility ID Number: <u>462945</u>
Well/Facility Name: <u>Latham</u>	Well/Facility Number: <u>F21-J24-14HNB</u>
Location QtrQtr: <u>NENE</u> Section: <u>14</u> Township: <u>4N</u> Range: <u>63W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WATTENBERG</u>	
Federal, Indian or State Lease Number: _____	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

**Uses of Ground Water Sampling Section**

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- \_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- \_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.
- \_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- \_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

## **COMMENTS**

An exception request is requested for Latham U-14 Facility. Please see Attachment for commentation on wells. This exception request for for wells:

05-123-49903 LATHAM A11-E14-14HNB  
05-123-49904 LATHAM 11-14-14HNC  
05-123-49899 LATHAM F11-J14-14HNB  
05-123-49897 LATHAM F-J-14HNC  
05-123-49893 LATHAM F21-J24-14HNB  
05-123-49908 LATHAM 21-24-14HNC  
05-123-49898 LATHAM K21-O24-14HNB  
05-123-49901 LATHAM K-O-14HNC  
05-123-49909 LATHAM K31-O34-14HNB  
05-123-49910 LATHAM 31-34-14HNC  
05-123-49894 LATHAM P31-T34-14HNB  
05-123-49902 LATHAM P-T-14HNC  
05-123-49900 LATHAM P41-T44-14HNB  
05-123-49895 LATHAM 41-44-14HNC  
05-123-49907 LATHAM U41-Y44-14HNB  
05-123-49905 LATHAM J-F-12HNC  
05-123-49906 LATHAM 14-11-12HNC  
05-123-49896 LATHAM E14-A11-12HNB

**Operator Comments:**

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Caroline Martin  
 Title: Environmental Specialist Email: cmartin@quandaryconsultants.com Date: 6/4/2019

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 6/5/2019

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	A review of information available on COGIS maps indicates that there is no water feature that meets the 100 series definition of a water source within any quarter section in 1/2 mile of the oil/gas well(s) that was not properly addressed by the operator.	06/05/2019
Environmental	Returned to Draft for correction.  Latham F21-J24-14HNB Form 4 Document # 402061025  The above referenced form 4 has been returned to draft for correction. After reviewing the information that was provided it appears that the wrong water well list is attached to the Sundry. The Latham wells are in Sec 14, 4 North, 63 West while the water wells that were provided are near the section line between 4 and 5 North and are over a mile North of the Latham pad, some are five miles away from the Latham pad. Please carefully review the information and only provide the water wells that are in the 318A.f sample area for the Latham pad.	06/04/2019

Total: 2 comment(s)

**Attachment Check List**

<u>Att Doc Num</u>	<u>Name</u>
402061025	SUNDRY NOTICE APPROVED-GW
402063636	OTHER
402065736	FORM 4 SUBMITTED

Total Attach: 3 Files