

*The Road to Excellence Starts with Safety*

<b>Sold To #:</b> 343492		<b>Ship To #:</b> 3917427		<b>Quote #:</b> 0022531786		<b>Sales Order #:</b> 0905404213				
<b>Customer:</b> HIGHPOINT RESOURCES CORP-EBUS				<b>Customer Rep:</b> KC Beckstead						
<b>Well Name:</b> WETCO		<b>Well #:</b> 4-63-05-4033CB		<b>API/UWI #:</b> 05-123-48495-00						
<b>Field:</b> WATTENBERG		<b>City (SAP):</b> KERSEY		<b>County/Parish:</b> WELD		<b>State:</b> COLORADO				
<b>Legal Description:</b> NW SW-4-4N-63W-2244FSL-779FWL										
<b>Contractor:</b> CADE DRLG				<b>Rig/Platform Name/Num:</b> CADE 23						
<b>Job BOM:</b> 7522 7522										
<b>Well Type:</b> HORIZONTAL OIL										
<b>Sales Person:</b> HALAMERICA\H139013				<b>Srvc Supervisor:</b> Steven Markovich						
<b>Job</b>										
<b>Formation Name</b>										
<b>Formation Depth (MD)</b>		<b>Top</b>		<b>Bottom</b>						
<b>Form Type</b>					<b>BHST</b>					
<b>Job depth MD</b>		6903ft			<b>Job Depth TVD</b>					
<b>Water Depth</b>					<b>Wk Ht Above Floor</b>					
<b>Perforation Depth (MD)</b>		<b>From</b>		<b>To</b>						
<b>Well Data</b>										
<b>Description</b>	<b>New / Used</b>	<b>Size in</b>	<b>ID in</b>	<b>Weight lbm/ft</b>	<b>Thread</b>	<b>Grade</b>	<b>Top MD ft</b>	<b>Bottom MD ft</b>	<b>Top TVD ft</b>	<b>Bottom TVD ft</b>
Casing		9.625	8.921	36			0	840		0
Casing		7	6.366	23		J-55	0	6903		0
Open Hole Section			8.75				840	6918	0	0
<b>Tools and Accessories</b>										
<b>Type</b>	<b>Size in</b>	<b>Qty</b>	<b>Make</b>	<b>Depth ft</b>		<b>Type</b>	<b>Size in</b>	<b>Qty</b>	<b>Make</b>	
Guide Shoe	7			6903		Top Plug	7		HES	
Float Shoe	7					Bottom Plug	7		HES	
Float Collar	7					SSR plug set	7		HES	
Insert Float	7					Plug Container	7		HES	
Stage Tool	7					Centralizers	7		HES	
<b>Fluid Data</b>										
<b>Stage/Plug #: 1</b>										
<b>Fluid #</b>	<b>Stage Type</b>	<b>Fluid Name</b>	<b>Qty</b>	<b>Qty UoM</b>	<b>Mixing Density lbm/gal</b>	<b>Yield ft3/sack</b>	<b>Mix Fluid Gal</b>	<b>Rate bbl/min</b>	<b>Total Mix Fluid Gal</b>	
1	12.0 lb/gal Tuned Spacer III	Tuned Spacer III	20	bbl	12	3.16				
176.58 lbm/bbl		BARITE, BULK (100003681)								
35.35 gal/bbl		FRESH WATER								

Fluid #	Stage Type	Fluid Name	Qty	Qty UoM	Mixing Density lbm/gal	Yield ft3/sack	Mix Fluid Gal	Rate bbl/min	Total Mix Fluid Gal	
2	13.2# ElastiCem	ELASTICEM (TM) SYSTEM	860	sack	13.2	1.57		8	7.53	
7.53 Gal		FRESH WATER								
Fluid #	Stage Type	Fluid Name	Qty	Qty UoM	Mixing Density lbm/gal	Yield ft3/sack	Mix Fluid Gal	Rate bbl/min	Total Mix Fluid Gal	
3	Displacement fluid		270	bbl	10					
Cement Left In Pipe		Amount	45 ft		Reason			Shoe Joint		
Mix Water:		pH 6.5	Mix Water Chloride:			00 ppm		Mix Water Temperature:		71 °F °C
<b>Comment</b> Pump 270bbbs of H2O. Pumped at 8bbl/min and slowed rate with pressure increase. Spacer to surface at 207bbbs away. Cement to surface at 227bbbs away, bringing 43bbbs to surface. Bumped plug at 270bbbs away, final lift pressure was 2202psi. Took pressure 500psi over and held. After 3 mins pressure was 3039psi. Opened release line to check floats, after 2bbbs back floats held.										

## Summary Report

**Crew:** \_\_\_\_\_  
**Job Start Date:** 01/13/2019 11:18 PM

**Sales Order #:** 0905404213  
**WO #:** 0905404213  
**PO #:** NA  
**AFE #:**

<b>Customer:</b>	HIGHPOINT RESOURCES CORP- EBUS	<b>Field:</b>	WATTENBERG	<b>Job Type:</b>	CMT INTERMEDIATE CASING BOM
<b>UWI / API Number:</b>	05-123-48495-00	<b>County/Parish:</b>	WELD	<b>Service Supervisor:</b>	Steven Markovich
<b>Well Name:</b>	WETCO	<b>State:</b>	COLORADO		
<b>Well No:</b>	4-63-05-4033CB	<b>Latitude:</b>	40.339946	<b>Cust Rep Name:</b>	KC Beckstead
		<b>Longitude:</b>	-104.449667	<b>Cust Rep Phone #:</b>	
		<b>Sect / Twn / Rng:</b>	4/4/63		

**Remarks:**

<b>The Information Stated Herein Is Correct</b>	Customer Representative Signature	Date
	Customer Representative Printed Name	