

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>402017695</b>			
Date Received: <b>05/02/2019</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10373</u>	Contact Name <u>JOE VARGO</u>
Name of Operator: <u>NGL WATER SOLUTIONS DJ LLC</u>	Phone: <u>(303) 815-1010</u>
Address: <u>3773 CHERRY CRK NORTH DR #1000</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80209</u>	Email: <u>Joseph.Vargo@nglep.com</u>

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- <u>123</u> <u>49501</u> <u>00</u>	OGCC Facility ID Number: <u>460663</u>
Well/Facility Name: <u>ROY SWD</u>	Well/Facility Number: <u>5</u>
Location QtrQtr: <u>NWNE</u> Section: <u>28</u> Township: <u>1N</u> Range: <u>66W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WATTENBERG</u>	
Federal, Indian or State Lease Number: _____	

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

☐ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ PDOP Reading \_\_\_\_\_ Date of Measurement \_\_\_\_\_  
Longitude \_\_\_\_\_ GPS Instrument Operator's Name \_\_\_\_\_

**LOCATION CHANGE (all measurements in Feet)**

Well will be: \_\_\_\_\_ (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr NWNE Sec 28

New **Surface** Location **To** QtrQtr \_\_\_\_\_ Sec \_\_\_\_\_

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 21

New **Top of Productive Zone** Location **To** Sec \_\_\_\_\_

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 21 Twp 1N

New **Bottomhole** Location Sec \_\_\_\_\_ Twp \_\_\_\_\_

Is location in High Density Area? \_\_\_\_\_

Distance, in feet, to nearest building \_\_\_\_\_, public road: \_\_\_\_\_, above ground utility: \_\_\_\_\_, railroad: \_\_\_\_\_,

property line: \_\_\_\_\_, lease line: \_\_\_\_\_, well in same formation: \_\_\_\_\_

Ground Elevation \_\_\_\_\_ feet Surface owner consultation date \_\_\_\_\_

FNL/FSL		FEL/FWL	
<u>326</u>	<u>FNL</u>	<u>2127</u>	<u>FEL</u>
_____	_____	_____	_____
Twp <u>1N</u>	Range <u>66W</u>	Meridian <u>6</u>	
Twp _____	Range _____	Meridian _____	
<u>1753</u>	<u>FSL</u>	<u>1</u>	<u>FWL</u>
_____	_____	_____	_____
Twp <u>1N</u>	Range <u>66W</u>		
Twp _____	Range _____		
<u>1753</u>	<u>FSL</u>	<u>1</u>	<u>FWL</u>
_____	_____	_____	_____
Twp <u>1N</u>	Range <u>66W</u>		
Twp _____	Range _____		

\*\*

\*\*

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name ROY SWD Number 5 Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 04/24/2019

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

#### COMMENTS:

Request to make changes to the permitted Casing & Cement design as noted on that tab - with these specific changes:

1. Change Surface Hole from 14-3/4" to 13-1/2"; change setting depth and cement bottom from 1175' to 1235'; change sks cmt from 402 to 308.
2. Change 1st String Hole from 9-7/8" to 8-3/4"; change casing from 7-5/8" 29.7# to 7" 26#; setting depth & cmt from 10041', 230 sks to 10166' & 138 sks; cmt top from 8671 to 8857.
3. Change 1st Liner hole size from 6-5/8" to 6-1/8", casing & # from 5-1/2" 17# to 4-1/2" 11.6#; liner setting depth from 12042' to 12092'.
4. Stage Tool setting depth & cmt btm from 8671' to 8857', sks cmt from 1148 to 949.

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Conductor Casing	26				16				42	0	80	400	80	0
Surface String	13	1		2	10	3		4	40.5	0	1235	308	1235	0
First String	8	3		4	7				26	0	10166	138	10166	8857
1ST LINER	6	1		8	4	1		2	11.6	10145	12092			
Stage Tool											8857	949	8857	0

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**Best Management Practices**

**No BMP/COA Type**

**Description**

--	--

**Operator Comments:**

Request to make changes to the permitted Casing & Cement desing as noted on that tab - with these specific changes:

1. Change Surface Hole from 14-3/4" to 13-1/2"; change setting depth and cement bottom from 1175' to 1235'; change sks cmt from 402 to 308.
2. Change 1st String Hole from 9-7/8" to 8-3/4"; change casing from 7-5/8" 29.7# to 7" 26#; setting depth & cmt from 10041', 230 sks to 10166' & 138 sks; cmt top from 8671 to 8857.
3. Change 1st Liner hole size from 6-5/8" to 6-1/8", casing & # from 5-1/2" 17# to 4-1/2" 11.6#, liner setting depth from 12042' to 12092'.
4. Stage Tool setting depth & cmt btm from 8671' to 8857', sks cmt from 1148 to 949.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Paul Gottlob  
Title: Regulatory & Engin. Tech. Email: paul.gottlob@iptenergyservices.com Date: 5/2/2019

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEHLER, BOB Date: 6/20/2019

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>
	Comply with Rule 317.j. and provide cement coverage from end of first string to a minimum of 200' above Niobrara. Verify coverage with cement bond log.

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
UIC	Directional Survey will be updated in Form 5.	06/20/2019

Total: 1 comment(s)

**Attachment Check List**

<u>Att Doc Num</u>	<u>Name</u>
402017695	SUNDRY NOTICE APPROVED-DRLG-CSG
402081626	FORM 4 SUBMITTED

Total Attach: 2 Files