

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402011440</u>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>52530</u>	Contact Name <u>Ryan Warner</u>
Name of Operator: <u>MAGPIE OPERATING INC</u>	Phone: <u>(970) 669-6308</u>
Address: <u>2707 SOUTH COUNTY RD 11</u>	Fax: <u>(970) 669-6396</u>
City: <u>LOVELAND</u> State: <u>CO</u> Zip: <u>80537</u>	Email: <u>magpieoil@yahoo.com</u>

Complete the Attachment
Checklist

OP OGCC

API Number : 05- <u>123</u> <u>50140</u> <u>00</u>	OGCC Facility ID Number: <u>463962</u>
Well/Facility Name: <u>Campion</u>	Well/Facility Number: <u>5-6 #2H</u>
Location QtrQtr: <u>NENW</u> Section: <u>5</u> Township: <u>4N</u> Range: <u>68W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>LOVELAND</u>	
Federal, Indian or State Lease Number: _____	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- _____ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- _____ Number of Water Source Exceptions requested per Rule 609.c.
- _____ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- _____ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Magpie is submitting a Form 4 sundry requesting exception to rule 318A.e(4) due to there being no available water sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2 mile radius. Water well permit 44-WCB (receipt C350044) is located approximately 0.58 miles north. Magpie contacted the owner of water well 44-WCB and it was determined that the water well is inactive and has been for approximately 15 years. Please see attachments.

Operator Comments:

This is a multi-well facility also containing API 05-123-50138 and API 05-123-50139.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Ryan Warner
Title: Vice President Email: magpieoil@yahoo.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

<u>COA Type</u>	<u>Description</u>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	<p>Returned to Draft for additional information.</p> <p>Campion 5-6 #2H Rule 318A.f Sundry Notice Document # 402011440</p> <p>Ryan,</p> <p>The COGCC cannot approve the Sundry referenced above without additional information. The Sundry has been returned to Draft until the additional information can be provided to the COGCC. Based on a review of information available through the COGIS maps the location of the water well with DWR receipt # C350044 is located in near the center of section 32, 5N 68W, which is within the Campion 5-6 318A.f water source search area.</p> <p>Prior to the Sundry being approved Magpie will need try and contact the landowner and collect a sample per Rule 318A.f if possible. All attempts to contact the water well owner must be documented and submitted to the COGCC prior to exception being approved if Magpie is unable to gain access.</p>	06/24/2019

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
402081326	OTHER
402087559	CORRESPONDENCE

Total Attach: 2 Files