

FORM  
6Rev  
05/18State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

401602277

Date Received:

04/11/2018

## WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 72118

Contact Name: Tom Roelfs

Name of Operator: PRIME OPERATING COMPANY

Phone: (970) 324-1686

Address: 9821 KATY FREEWAY STE 1050

Fax:

City: HOUSTON State: TX Zip: 77042

Email: tr\_services@yahoo.com

For "Intent" 24 hour notice required,

Name:

Tel:

COGCC contact:

Email:

API Number 05-125-06593-00

Well Name: OSMUS

Well Number: C4-24

Location: QtrQtr: SWSE Section: 24 Township: 4S Range: 44W Meridian: 6

County: YUMA

Federal, Indian or State Lease Number:

Field Name: BONNY

Field Number: 7325

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

## Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.691573

Longitude: -102.239700

GPS Data:

Date of Measurement: 09/11/2011

PDOP Reading: 3.8

GPS Instrument Operator's Name: J Roelfs

Reason for Abandonment: ☐ Dry☒ Production Sub-economic☐ Mechanical Problems☐ OtherCasing to be pulled: ☐ Yes☒ No

Estimated Depth:

Fish in Hole: ☐ Yes☒ No

If yes, explain details below

Wellbore has Uncemented Casing leaks: ☐ Yes☒ No

If yes, explain details below

Details:

## Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
NIOBRARA	1624	1642	03/30/2018	B PLUG CEMENT TOP	1575

Total: 1 zone(s)

## Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	9+7/8	7	17	347	100	347	0	VISU
1ST	6+1/4	4+1/2	9.5	1,781	100	1,781	606	VISU

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 1575 with 2 sacks cmt on top. CIPB #2: Depth 410 with 32 sacks cmt on top.  
CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIPB #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐

Perforate and squeeze at 396 ft. with 133 sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 32 sacks half in. half out surface casing from 410 ft. to 0 ft. Plug Tagged: ☐

Set \_\_\_\_\_ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. \_\_\_\_\_ inch casing Plugging Date: 03/31/2018  
of \_\_\_\_\_

\*Wireline Contractor: Prak wireline Services, Inc.

\*Cementing Contractor: Basic Energy Services

Type of Cement and Additives Used: Class G cement

Flowline/Pipeline has been abandoned per Rule 1105 ☒ Yes ☐ No

\*ATTACH JOB SUMMARY

Technical Detail/Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Tom Roelfs

Title: Foreman Date: 4/11/2018 Email: tr\_services@yahoo.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: McFarland, Nick Date: 6/26/2019

### CONDITIONS OF APPROVAL, IF ANY:

COA Type	Description

### **Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
401602277	FORM 6 SUBSEQUENT SUBMITTED
401603393	CEMENT JOB SUMMARY
401603394	WIRELINE JOB SUMMARY
401603395	WELLBORE DIAGRAM

Total Attach: 4 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Engineer	Form 7 production updates have been made as specified above.	06/26/2019
Agency	Rebecca Stall-Blackmar in contact with Teri	06/13/2019
Agency	Have 42 Flow 401894379 still need PROD reporting updated Needs monthly reports for January 2018 - April 2018. April 2018 should show a PA status.	03/27/2019
Engineer	Need Form 42 for flowline abandonment. Form 7: Need monthly reports for January 2018 - April 2018. April 2018 should show a PA status.	12/27/2018

Total: 4 comment(s)