 SRC ENERGY	P&R Wellbore Diagram	
	Operator: SRC Energy	Operator #: 10311
	Well Name: ROY A. SCHMIDT UNIT #2	Location: WELD #123
	API: 05-123-09451	Legal: CNE 25 4N 66W

Current**Proposed**

Deepest Water Well (1 mile): 220'

Well History

Spud Date: 04/03/1978

Perfs: Sussex: 4434' - 4486'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Set CIBP at 4359' MD

Run CBL

Spot 15 sc cement on top

Spot 16 sx plug @ 4080' - 4280'

Perf 4-1/2" csg at 2500' MD

Set CICR @ 2400'

Pump 84 sx through CICR

Set 9 sx on top of CICR

Cut casing at 922' MD

Pump 299 sx @ 972' to surface

Surface Hole: 12.25"

Surface Casing:

8.625" 23# @ 508'

450 sacks of cement

TOC: 3650' CALC

Production Hole: 7.875"

Production Casing:

4.5" 11.6# @ 4650'

400 sacks of cement



TD: 4652'

922 Casing Cut
972 Stub PlugEst TOC: 2280' MD
(120' plug on CICR)
2400' - CICR
2500' - Perfs4080 - 4280
16 SX - 200'Est TOC: 4159' MD
15 sx on top CIBP
4359 CIBP**Formations**

Fox Hills (Btm) 822'

Sussex (Top) 4180'

4434' - 4486'

Legend Existing Cement Cement Pumped CIBP CICR**NOTES**

ACTIVE PRODUCER