





Azimuths to True North
Magnetic North: 9.37°

Magnetic Field
Strength: 51377.5snT
Dip Angle: 65.62°
Date: 6/13/2019
Model: BGGM2016

Well Details: RWF 332-12

GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	1630824.00	2339712.00	39.5420331	-107.8415740	



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
2408.00	2444.05	G Sand
2508.00	2545.94	G Sand Base
4213.00	4283.28	Lwr Wasatch
4968.00	5052.60	Ohio Creek/MVRD
6468.00	6571.73	Top Gas
7892.00	7995.73	Cameo
8719.00	8822.73	Rollins

Plan: Plan #1 13June2019 jcsdi

12:54, June 18 2019
Created By: Mel Mireles

PROJECT DETAILS: Garfield County, CO NAD83

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: Colorado Central Zone

System Datum: Mean Sea Level

CASING DETAILS

TVD	MD	Name	Size
990.83	1000.00	5/8" Casing @ 1000' MD	9.62

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	
3	220.00	3.00	53.00	219.95	1.58	2.09	3.00	53.00	2.55	
4	370.00	3.00	53.00	369.75	6.30	8.36	0.00	0.00	10.18	
5	642.87	11.07	39.43	640.35	30.88	30.74	3.00	-18.45	43.39	
6	5833.57	11.07	39.43	5734.42	800.84	663.92	0.00	0.00	1040.26	
7	6571.73	0.00	0.00	6468.00	855.76	709.08	1.50	180.00	1111.36	RWF 332-12 BTV
8	8972.73	0.00	0.00	8869.00	855.76	709.08	0.00	0.00	1111.36	RWF 332-12 BHL

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
RWF 332-12 BTV	6468.00	855.76	709.08	1631661.20	2340442.90	39.5443824	-107.8390596	Circle (Radius: 50.00)
- plan hits target center								
RWF 332-12 BHL	8869.00	855.76	709.08	1631661.20	2340442.90	39.5443824	-107.8390596	Point
- plan hits target center								



TEP Rocky Mountain LLC

Garfield County, CO NAD83

RWF 12-12 Pad

RWF 332-12

OH

Plan: Plan #1 13June2019 jcsdi

Standard Planning Report

18 June, 2019



Database:	Grand Junction District	Local Co-ordinate Reference:	Well RWF 332-12
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Site:	RWF 12-12 Pad	North Reference:	True
Well:	RWF 332-12	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 13June2019 jcsdi		

Project	Garfield County, CO NAD83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site		RWF 12-12 Pad			
Site Position:		Northing:	1,630,797.20 usft	Latitude:	39.5419586
From:	Map	Easting:	2,339,698.60 usft	Longitude:	-107.8416191
Position Uncertainty:	0.00 usft	Slot Radius:	13.20 in	Grid Convergence:	-1.48 °

Well	RWF 332-12					
Well Position	+N-S	27.14 usft	Northing:	1,630,824.00 usft	Latitude:	39.5420331
	+E-W	12.70 usft	Easting:	2,339,712.00 usft	Longitude:	-107.8415741
Position Uncertainty		0.00 usft	Wellhead Elevation:	0.00 usft	Ground Level:	5,466.80 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2016	6/13/2019	9.37	65.62	51,378

Design	Plan #1 13June2019 jcsdi			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	39.65

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00	
220.00	3.00	53.00	219.95	1.58	2.09	3.00	3.00	0.00	53.00	
370.00	3.00	53.00	369.75	6.30	8.36	0.00	0.00	0.00	0.00	
642.87	11.07	39.43	640.35	30.88	30.74	3.00	2.96	-4.97	-18.45	
5,833.57	11.07	39.43	5,734.42	800.84	663.92	0.00	0.00	0.00	0.00	
6,571.73	0.00	0.00	6,468.00	855.76	709.08	1.50	-1.50	0.00	180.00	RWF 332-12 BTV
8,972.73	0.00	0.00	8,869.00	855.76	709.08	0.00	0.00	0.00	0.00	RWF 332-12 BHL

Database:	Grand Junction District	Local Co-ordinate Reference:	Well RWF 332-12
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Site:	RWF 12-12 Pad	North Reference:	True
Well:	RWF 332-12	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 13June2019 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00
Start Build 3.00									
200.00	2.40	53.00	199.98	1.01	1.34	1.63	3.00	3.00	0.00
220.00	3.00	53.00	219.95	1.58	2.09	2.55	3.00	3.00	0.00
Start 150.00 hold at 220.00 MD									
300.00	3.00	53.00	299.84	4.09	5.43	6.62	0.00	0.00	0.00
370.00	3.00	53.00	369.75	6.30	8.36	10.18	0.00	0.00	0.00
Start DLS 3.00 TFO -18.45									
400.00	3.86	48.77	399.69	7.44	9.75	11.95	3.00	2.88	-14.10
500.00	6.81	42.55	499.25	14.03	16.29	21.20	3.00	2.95	-6.22
600.00	9.79	40.08	598.19	24.91	25.78	35.63	3.00	2.98	-2.46
642.87	11.07	39.43	640.35	30.88	30.74	43.39	3.00	2.99	-1.52
Start 5190.70 hold at 642.87 MD									
700.00	11.07	39.43	696.42	39.35	37.71	54.36	0.00	0.00	0.00
800.00	11.07	39.43	794.56	54.18	49.91	73.57	0.00	0.00	0.00
900.00	11.07	39.43	892.70	69.02	62.11	92.77	0.00	0.00	0.00
1,000.00	11.07	39.43	990.83	83.85	74.31	111.98	0.00	0.00	0.00
9 5/8" Casing @ 1000' MD									
1,100.00	11.07	39.43	1,088.97	98.69	86.51	131.18	0.00	0.00	0.00
1,200.00	11.07	39.43	1,187.11	113.52	98.70	150.39	0.00	0.00	0.00
1,300.00	11.07	39.43	1,285.25	128.35	110.90	169.59	0.00	0.00	0.00
1,400.00	11.07	39.43	1,383.39	143.19	123.10	188.80	0.00	0.00	0.00
1,500.00	11.07	39.43	1,481.53	158.02	135.30	208.00	0.00	0.00	0.00
1,600.00	11.07	39.43	1,579.67	172.85	147.50	227.21	0.00	0.00	0.00
1,700.00	11.07	39.43	1,677.80	187.69	159.69	246.41	0.00	0.00	0.00
1,800.00	11.07	39.43	1,775.94	202.52	171.89	265.62	0.00	0.00	0.00
1,900.00	11.07	39.43	1,874.08	217.35	184.09	284.82	0.00	0.00	0.00
2,000.00	11.07	39.43	1,972.22	232.19	196.29	304.03	0.00	0.00	0.00
2,100.00	11.07	39.43	2,070.36	247.02	208.49	323.23	0.00	0.00	0.00
2,200.00	11.07	39.43	2,168.50	261.85	220.69	342.44	0.00	0.00	0.00
2,300.00	11.07	39.43	2,266.64	276.69	232.88	361.64	0.00	0.00	0.00
2,400.00	11.07	39.43	2,364.77	291.52	245.08	380.84	0.00	0.00	0.00
2,444.05	11.07	39.43	2,408.00	298.05	250.46	389.30	0.00	0.00	0.00
G Sand									
2,500.00	11.07	39.43	2,462.91	306.35	257.28	400.05	0.00	0.00	0.00
2,545.94	11.07	39.43	2,508.00	313.17	262.89	408.87	0.00	0.00	0.00
G Sand Base									
2,600.00	11.07	39.43	2,561.05	321.19	269.48	419.25	0.00	0.00	0.00
2,700.00	11.07	39.43	2,659.19	336.02	281.68	438.46	0.00	0.00	0.00
2,800.00	11.07	39.43	2,757.33	350.86	293.88	457.66	0.00	0.00	0.00
2,900.00	11.07	39.43	2,855.47	365.69	306.07	476.87	0.00	0.00	0.00
3,000.00	11.07	39.43	2,953.61	380.52	318.27	496.07	0.00	0.00	0.00
3,100.00	11.07	39.43	3,051.74	395.36	330.47	515.28	0.00	0.00	0.00
3,200.00	11.07	39.43	3,149.88	410.19	342.67	534.48	0.00	0.00	0.00
3,300.00	11.07	39.43	3,248.02	425.02	354.87	553.69	0.00	0.00	0.00
3,400.00	11.07	39.43	3,346.16	439.86	367.07	572.89	0.00	0.00	0.00
3,500.00	11.07	39.43	3,444.30	454.69	379.26	592.10	0.00	0.00	0.00
3,600.00	11.07	39.43	3,542.44	469.52	391.46	611.30	0.00	0.00	0.00
3,700.00	11.07	39.43	3,640.57	484.36	403.66	630.51	0.00	0.00	0.00
3,800.00	11.07	39.43	3,738.71	499.19	415.86	649.71	0.00	0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well RWF 332-12
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Site:	RWF 12-12 Pad	North Reference:	True
Well:	RWF 332-12	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 13June2019 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,900.00	11.07	39.43	3,836.85	514.02	428.06	668.92	0.00	0.00	0.00
4,000.00	11.07	39.43	3,934.99	528.86	440.26	688.12	0.00	0.00	0.00
4,100.00	11.07	39.43	4,033.13	543.69	452.45	707.33	0.00	0.00	0.00
4,200.00	11.07	39.43	4,131.27	558.52	464.65	726.53	0.00	0.00	0.00
4,283.28	11.07	39.43	4,213.00	570.88	474.81	742.53	0.00	0.00	0.00
Lwr Wasatch									
4,300.00	11.07	39.43	4,229.41	573.36	476.85	745.74	0.00	0.00	0.00
4,400.00	11.07	39.43	4,327.54	588.19	489.05	764.94	0.00	0.00	0.00
4,500.00	11.07	39.43	4,425.68	603.03	501.25	784.15	0.00	0.00	0.00
4,600.00	11.07	39.43	4,523.82	617.86	513.44	803.35	0.00	0.00	0.00
4,700.00	11.07	39.43	4,621.96	632.69	525.64	822.56	0.00	0.00	0.00
4,800.00	11.07	39.43	4,720.10	647.53	537.84	841.76	0.00	0.00	0.00
4,900.00	11.07	39.43	4,818.24	662.36	550.04	860.97	0.00	0.00	0.00
5,000.00	11.07	39.43	4,916.38	677.19	562.24	880.17	0.00	0.00	0.00
5,052.60	11.07	39.43	4,968.00	685.00	568.65	890.27	0.00	0.00	0.00
Ohio Creek/MVRD									
5,100.00	11.07	39.43	5,014.51	692.03	574.44	899.38	0.00	0.00	0.00
5,200.00	11.07	39.43	5,112.65	706.86	586.63	918.58	0.00	0.00	0.00
5,300.00	11.07	39.43	5,210.79	721.69	598.83	937.79	0.00	0.00	0.00
5,400.00	11.07	39.43	5,308.93	736.53	611.03	956.99	0.00	0.00	0.00
5,500.00	11.07	39.43	5,407.07	751.36	623.23	976.20	0.00	0.00	0.00
5,600.00	11.07	39.43	5,505.21	766.19	635.43	995.40	0.00	0.00	0.00
5,700.00	11.07	39.43	5,603.35	781.03	647.63	1,014.61	0.00	0.00	0.00
5,800.00	11.07	39.43	5,701.48	795.86	659.82	1,033.81	0.00	0.00	0.00
5,833.57	11.07	39.43	5,734.42	800.84	663.92	1,040.26	0.00	0.00	0.00
Start Drop -1.50									
5,900.00	10.08	39.43	5,799.73	810.26	671.66	1,052.45	1.50	-1.50	0.00
6,000.00	8.58	39.43	5,898.41	822.77	681.95	1,068.65	1.50	-1.50	0.00
6,100.00	7.08	39.43	5,997.47	833.29	690.60	1,082.27	1.50	-1.50	0.00
6,200.00	5.58	39.43	6,096.86	841.80	697.60	1,093.29	1.50	-1.50	0.00
6,300.00	4.08	39.43	6,196.50	848.30	702.94	1,101.70	1.50	-1.50	0.00
6,400.00	2.58	39.43	6,296.33	852.78	706.63	1,107.50	1.50	-1.50	0.00
6,500.00	1.08	39.43	6,396.28	855.24	708.65	1,110.69	1.50	-1.50	0.00
6,571.73	0.00	0.00	6,468.00	855.76	709.08	1,111.36	1.50	-1.50	0.00
Start 2401.00 hold at 6571.73 MD - Top Gas - RWF 332-12 BTW									
6,600.00	0.00	0.00	6,496.27	855.76	709.08	1,111.36	0.00	0.00	0.00
6,700.00	0.00	0.00	6,596.27	855.76	709.08	1,111.36	0.00	0.00	0.00
6,800.00	0.00	0.00	6,696.27	855.76	709.08	1,111.36	0.00	0.00	0.00
6,900.00	0.00	0.00	6,796.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,000.00	0.00	0.00	6,896.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,100.00	0.00	0.00	6,996.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,200.00	0.00	0.00	7,096.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,300.00	0.00	0.00	7,196.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,400.00	0.00	0.00	7,296.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,500.00	0.00	0.00	7,396.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,600.00	0.00	0.00	7,496.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,700.00	0.00	0.00	7,596.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,800.00	0.00	0.00	7,696.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,900.00	0.00	0.00	7,796.27	855.76	709.08	1,111.36	0.00	0.00	0.00
7,995.73	0.00	0.00	7,892.00	855.76	709.08	1,111.36	0.00	0.00	0.00
Cameo									

Database:	Grand Junction District	Local Co-ordinate Reference:	Well RWF 332-12
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Site:	RWF 12-12 Pad	North Reference:	True
Well:	RWF 332-12	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 13June2019 jcsdi		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8,000.00	0.00	0.00	7,896.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,100.00	0.00	0.00	7,996.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,200.00	0.00	0.00	8,096.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,300.00	0.00	0.00	8,196.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,400.00	0.00	0.00	8,296.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,500.00	0.00	0.00	8,396.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,600.00	0.00	0.00	8,496.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,700.00	0.00	0.00	8,596.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,800.00	0.00	0.00	8,696.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,822.73	0.00	0.00	8,719.00	855.76	709.08	1,111.36	0.00	0.00	0.00	
Rollins										
8,900.00	0.00	0.00	8,796.27	855.76	709.08	1,111.36	0.00	0.00	0.00	
8,972.73	0.00	0.00	8,869.00	855.76	709.08	1,111.36	0.00	0.00	0.00	
TD at 8972.73 - RWF 332-12 BHL										

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
RWF 332-12 BTV	0.00	0.00	6,468.00	855.76	709.08	1,631,661.20	2,340,442.90	39.5443825	-107.8390597
- plan hits target center									
- Circle (radius 50.00)									
RWF 332-12 BHL	0.00	0.00	8,869.00	855.76	709.08	1,631,661.20	2,340,442.90	39.5443825	-107.8390597
- plan hits target center									
- Point									

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (in)	Hole Diameter (in)	
1,000.00	990.83	9 5/8" Casing @ 1000' MD	9.62	12.25	

Formations					
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
2,444.05	2,408.00	G Sand		0.00	0.00
2,545.94	2,508.00	G Sand Base		0.00	0.00
4,283.28	4,213.00	Lwr Wasatch		0.00	0.00
5,052.60	4,968.00	Ohio Creek/MVRD		0.00	0.00
6,571.73	6,468.00	Top Gas		0.00	0.00
7,995.73	7,892.00	Cameo		0.00	0.00
8,822.73	8,719.00	Rollins		0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well RWF 332-12
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 5466.8' & RKB 24' @ 5490.80usft (H&P 318)
Site:	RWF 12-12 Pad	North Reference:	True
Well:	RWF 332-12	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 13June2019 jcsdi		

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
120.00	120.00	0.00	0.00	Start Build 3.00
220.00	219.95	1.58	2.09	Start 150.00 hold at 220.00 MD
370.00	369.75	6.30	8.36	Start DLS 3.00 TFO -18.45
642.87	640.35	30.88	30.74	Start 5190.70 hold at 642.87 MD
5,833.57	5,734.42	800.84	663.92	Start Drop -1.50
6,571.73	6,468.00	855.76	709.08	Start 2401.00 hold at 6571.73 MD
8,972.73	8,869.00	855.76	709.08	TD at 8972.73