



SRC ENERGY

P&R Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: LH Miller Unit #1

Location: Weld, CO

API: 05-123-09118

Legal: NWNW 25-4N-66W

Current

Proposed

Deepest Water Well (1 mile): 220'

Well History

Spud Date: 01/24/1977

Perfs: Sussex: 4438' - 4476'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Set CIBP at 4365'

Run CBL

Set 15 sxs on CIBP

Perforate at 2500'

Set CICR at 2400'

Pump 70 SX through CICR

Set 15 sx on top of CICR

Cut casing @ 850'

Pump 295 sx @ 900' to surface

Formations

Fox Hills (Btm) 300'

Sussex (Top) 4436'

Legend

Existing Cement

Cement Pumped

CIBP

CICR

Surface Hole: 12.25"

Surface Casing:

8.625" 24# @ 493'

400 sacks of cement

850' - Casing Cut

900' - Stub Plug

295 sx

Est Top of Plug: 2200'

2400' CICR

2500' Perf

70 sx

Est Top of Plug: 4175'

15 sx on top

4365' - CIBP

TOC: 3575 (Calc)'

4438' - 4476'

Production Hole: 7.875"

Production Casing:

4.5" 10.5# @ 4574'

200 sacks of cement

TD: 4584'

Notes:

Well Type: SI

Last Mon Rpt: Nov-2018