

1001 17th Street
Suite 2000
Denver, CO 80202



Miracle Pfister
Regulatory Manager
Tel: 720.595.2250
E-mail: mpfister@gwogco.com

April 3, 2019

K P KAUFFMAN COMPANY INC
1675 Broadway, 28th Floor
Denver, Colorado 80202

*Received
4/22/19*

**Re: Rio LC 12-363HN, Rio LC 12-366HNX, Rio LC 12-373HC. Rio LC 12-373HN
NWNW, Section 6, Township 1 South, Range 67 West, 6th P.M.
Adams County, Colorado**

Dear Sir/Madam:

Great Western Operating Company (GWOC) has Application for Permit to Drill for the (4) horizontal wells listed above. As currently planned, the wellbores of the following well(s) which are operated by K P KAUFFMAN COMPANY INC lie within 150 feet from the horizontal laterals of the captioned well(s) above:

Morrison 16-1 API#: 05-001-09567

Proposed Well:	Distance from well:
Rio LC 12-363HN	50-ft 3D separation, 12322' MD

Morrison 9-1 API#: 05-001-09508

Proposed Well:	Distance from well:
Rio LC 12-363HN	119-ft 3D separation, 10984' MD

Beisel Unit 1 API#: 05-001-07108

Proposed Well:	Distance from well:
Rio LC 12-366HNX	119-ft 3D separation, 8957' MD

Morrison 11-1 API#: 05-001-09509

Proposed Well:	Distance from well:
Rio LC 12-373HC	4-ft 3D separation, 11693' MD
Rio LC 12-373HN	100-ft 3D separation, 11506' MD

North York 11-2 API#: 05-001-09519

Proposed Well:	Distance from well:
Rio LC 12-373HC	116-ft 3D separation, 16884' MD

Cundall 6-12 API#:05-001-09491

Proposed Well:	Distance from well:
Rio LC 12-373HC	135-ft 3D separation, 15563' MD

Per COGCC Rule 317s., no portion of a proposed wellbore's treated interval shall be located within 150 feet of an existing (producing, shut-in, or temporarily abandoned) or permitted oil and gas wellbore's treated interval belonging to another operator without the signed written consent of the operator of the encroached upon wellbore. COGCC requires that operators proposing horizontal wells obtain stimulation setback consent from operators of wells within 150 feet of the proposed horizontal wellbore(s).

GWOC will commit to run gyros on all six (6) wells listed on this waiver that are operated by KPK to verify their location. Once the gyros are complete GWOC will adjust the directional drilling plans for the Rio LC 12-373HC to ensure there is a minimum 50' separation. Further, GWOC will attempt to maintain the separation distances as noted on the other wells listed, understanding any subsequent adjustments based on results from the gyro surveys will also maintain a minimum 50' separation. GWOC will send KPK updated separation distances once directional plans are finalized and prior to commencing drilling.

If K P KAUFFMAN COMPANY INC is in agreement to allow GWOC to place a completed wellbore within 150' per the Rule 317.s, please sign the consent in the space provided below and return one original copy to the undersigned.

Respectfully,

Miracle Pfister

Miracle Pfister
Regulatory Manager
Great Western Operating Company, LLC

As operator of the above referenced well(s) lying within 150 feet of the wellbore(s) captioned above, K P KAUFFMAN COMPANY INC hereby consents per the COGCC Rule 317s. Statewide Fracture Stimulation Setback for the following wells:

**Rio LC 12-363HN, Rio LC 12-366HNX, Rio LC 12-373HC, Rio LC12-373HN
NWNW, Section 6, Township 1 South, Range 67 West, 6th P.M.
Adams County, Colorado**

K P KAUFFMAN COMPANY INC
Accepted and agreed to this on the 17th day of April 2019.



Signature

President & COO

Title