

Boring Log/Well Completion Diagram: SB-01

PAGE 1 OF 1

DEPTH (FEET)	LITHOLOGY	SAMPLE				OVM/OVA (PPM)	BLOW COUNT (per 0.5 FT)	DEPTH (FT)	WELL CONSTRUCTION DETAIL	COMMENTS
	DESCRIPTION	GRAPHIC LOG	TYPE	NUMBER	RECOVERY %					
0	(0-8') sandy SILT - brown, dry, medium stiff, low plasticity, with ~20% fine-grained sand, N/O, N/S	SM		1		2.0			No well set.	No groundwater encountered.
			DP		60		N/A			
				2		7.0				
5	(8-10') silty CLAY - gray to brown, dry, stiff, low plasticity, with ~30% silt, slight HC/O & gray HC/S @ 7.5-8.5			3		3.8		5	N/A	
			DP		60					
				4		135.1				
		CL		5		3.1				
10	BoB @ 10'							10		
15								15		
20								20		
25								25		
30										

DP - Direct Push
N/A - Not Applicable
HC/O - Hydrocarbon Odor
HC/S - Hydrocarbon Staining
HA - Hand Auger
BoB - Bottom of Boring
N/O - No odor
N/S - No staining

START/COMPLETION DATE: 5/6/2019

SAND PACK INTERVAL (FEET): 3-10

PROJECT: GRENEMEYER 1 & HOWARD 13 BATTERY

BENTONITE/GROUT INTERVAL (FEET): 0-3

LOGGED BY: S. VOGT

WELL SCREEN INTERVAL (FEET): N/A

DRILLING COMPANY/EQUIPMENT: EAGLE/GEOPROBE

WELL DIAMETER (IN): N/A

BOREHOLE DIAMETER (IN): 3.25

BORING DEPTH (FEET): 10

WELL DEPTH (FEET): N/A

PID INSTRUMENT: MiniRAE 3000

TIME STARTED/COMPLETED: 12:30/12:47

SAMPLE COLLECTION DEPTH (FEET)/TIME: 7.5-8.5/12:40



EAGLE
ENVIRONMENTAL
CONSULTING, INC.

4101 INCA STREET, DENVER, CO 80211
Ph: 303-433-0479 • F: 303-325-5449