

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402111249

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: Callie Fiddes
Phone: (720) 929-4361
Fax:
Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-47869-00
6. County: WELD
7. Well Name: REESE
Well Number: 21-4HZ
8. Location: QtrQtr: SWNW Section: 21 Township: 2N Range: 67W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type: FRACTURE STIMULATION
Treatment Date: End Date: Date of First Production this formation:
Perforations Top: 12964 Bottom: 13118 No. Holes: 464 Hole size: 0.44
Provide a brief summary of the formation treatment: Open Hole: ☐
This formation is commingled with another formation: ☒ Yes ☐ No
Total fluid used in treatment (bbl): Max pressure during treatment (psi):
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Min frac gradient (psi/ft):
Total acid used in treatment (bbl): Number of staged intervals:
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback:
Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 8208 Bottom: 15380 No. Holes: 464 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

8208-11903, 12100-12435, 12921-12964, 13118-14334, 15195-15380

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 8196 Bottom: 15730 No. Holes: 464 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

8196-8208, 11903-12100, 12435-12684, 12712-12727, 12766-12921, 14334-14600, 15005-15195, 15380-15730

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 12684 Bottom: 15005 No. Holes: 464 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole: ☐

12684-12712, 12727-12766, 14600-15005

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/27/2019 End Date: 06/03/2019 Date of First Production this formation: 06/22/2019
Perforations Top: 8196 Bottom: 15730 No. Holes: 464 Hole size: 0.44

Provide a brief summary of the formation treatment:

Open Hole: ☐

PERF AND FRAC FROM 8196-15730.

338 BBL 7.5% HCL ACID, 5,999 BBL PUMP DOWN, 136,272 BBL SLICKWATER, 142,609 TOTAL FLUID, 4,161,300# 40/70 GENOA/SAND HILLS, 4,161,300# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 142609

Max pressure during treatment (psi): 7770

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.81

Total acid used in treatment (bbl): 338

Number of staged intervals: 19

Recycled water used in treatment (bbl): 2250

Flowback volume recovered (bbl): 10262

Fresh water used in treatment (bbl): 140021

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 4161300

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 07/24/2019 Hours: 24 Bbl oil: 240 Mcf Gas: 581 Bbl H2O: 88
Calculated 24 hour rate: Bbl oil: 240 Mcf Gas: 581 Bbl H2O: 88 GOR: 2421
Test Method: Flowing Casing PSI: 2500 Tubing PSI: 1500 Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1256 API Gravity Oil: 45
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7728 Tbg setting date: 07/22/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 are correct and do not need revision.

Anadarko certifies compliance with rule 317.s.

See attachment for copy of well path through formations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: Email: Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num Name

402111393 OTHER

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)