

**FORM**  
**5A**  
Rev  
06/12

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400744472

Date Received:

**COMPLETED INTERVAL REPORT**

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>69175</u>	4. Contact Name: <u>Cassie Gonzalez</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 860-5800</u>
3. Address: <u>1775 SHERMAN STREET - STE 3000</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>Cassie.Gonzalez@pdce.com</u>

5. API Number <u>05-123-38904-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>SunMarke</u>	Well Number: <u>28V-404</u>
8. Location: QtrQtr: <u>NENE</u> Section: <u>28</u> Township: <u>4N</u> Range: <u>67W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

### Completed Interval

FORMATION: FORT HAYS Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 11/28/2014 End Date: 12/03/2014 Date of First Production this formation: 12/22/2014  
Perforations Top: 7691 Bottom: 11739 No. Holes: Hole size:

Provide a brief summary of the formation treatment: Open Hole:

16 Stage Sliding Sleeve, Swell Packer set at 7,691'  
Total Fluid: 87,569 bbls  
Gel Fluid: 75,751 bbls  
Slickwater Fluid: 11,747 bbls  
15% HCl Acid: 71 bbls  
Total Proppant: 3,356,800 lbs  
Silica Proppant: 3,356,800 lbs  
Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 87569 Max pressure during treatment (psi): 4268  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.82  
Total acid used in treatment (bbl): 71 Number of staged intervals: 16  
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 5104  
Fresh water used in treatment (bbl): 87498 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 3356800 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 01/08/2015 Hours: 24 Bbl oil: 209 Mcf Gas: 858 Bbl H2O: 120  
Calculated 24 hour rate: Bbl oil: 209 Mcf Gas: 858 Bbl H2O: 120 GOR: 4105  
Test Method: Flowing Casing PSI: 1815 Tubing PSI: 1108 Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1274 API Gravity Oil: 52  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7324 Tbg setting date: 12/04/2014 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.  
Signed: Print Name: Cassie Gonzalez  
Title: Regulatory Technician Date: Email: Cassie.Gonzalez@pdce.com

### Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Returned to draft for AOC settlement.	09/15/2016

Total: 1 comment(s)