































REPEAT PASS - Ran with 0 PSI

6 in / 100 ft

Database File	20190608_extraction_mt fed glenfair 8w-20-18_cbl20190608_extraction_mt fed glenfair 8w-20-18_cbl.db
Database Pathname	pass2
Presentation Format	mtz_8w
Dataset Creation	Sat Jun 08 17:23:45 2019
Charted by	Depth in Feet scaled 1:240

Calibration Report

Database File	d:\warrior\data\20190608_extraction_mt fed glenfair 8w-20-18_cbl\20190608_extraction_mt fed glenfair 8w-20-18_cbl.db
Dataset Pathname	pass3
Dataset Creation	Sat Jun 08 17:28:37 2019

Gamma Ray Calibration Report

Serial Number:		IXEMG-02	
Tool Model:		3 1/2" TekCo	
Performed:		Thu Apr 25 09:11:34 2019	
Calibrator Value:	194.0	GAPI	
Background Reading:	66.1	cps	
Calibrator Reading:	391.4	cps	
Sensitivity:	0.5963	GAPI/cps	

Segmented Cement Bond Log Calibration Report

Serial Number:	IRB34-03	
Tool Model:	2 3/4" RIB Analog	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	122.740	ft

Master Calibration, performed (Derived):

	Raw (x)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.001	1.879	0.000	71.921	38.250	0.040
CAL	-0.004	0.746				
5'	-0.000	1.786	0.000	71.921	40.259	0.001
SUM						
S1	0.006	2.205	0.000	72.000	32.736	-0.182
S2	0.004	2.239	0.000	72.000	32.225	-0.141
S3	0.003	2.197	0.000	72.000	32.823	-0.102
S4	0.003	2.258	0.000	72.000	31.926	-0.089
S5	0.003	2.284	0.000	72.000	31.570	-0.107
S6	0.003	2.289	0.000	72.000	31.500	-0.147
S7	0.006	2.281	0.000	72.000	31.654	-0.203
S8	0.007	2.235	0.000	72.000	32.306	-0.218

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.004	0.746	1.000	0.000

Air Zero Calibration, performed (Not Performed):

	Raw (x)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	IRB34-03			
Tool Model:	2 3/4" RIB Analog			
Performed:	Wed Jan 30 12:38:18 2019			
	Reference		Reading	
Low Reference:	0.00	degF	0.00	usec
High Reference:	1.00	degF	1.00	usec
Gain:	0.33			
Offset:	0.00			
Delta Spacing:	1			

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CableHead-TitanConeType2	1.03	1.44	3.60
CCL	13.50		CCL_Log-2 3/4" TekCo (IPSN7-002)	1.83	2.75	33.00
TEMP	10.05					
WVFS8	8.76					
WVFS7	8.76					
WVFS6	8.76					
WVFS5	8.76					
WVFS4	8.76					
WVFS3	8.76					
WVFS2	8.76					
WVFS1	8.76					
WVFSFT	8.01					
WVFSIT	7.01					
			RBTA 2 3/4" RIB Analog (IRB34-03)	9.13	2.75	102.00
WVFSYNC	3.68					
WVFTEMP	3.68					
WVFCAL	3.68					
			GR_Log-2 3/4" TekCo (IXEMG-02)	3.68	2.75	47.00
GR	1.04					
LOCTIM	0.00					
UTCTIM	0.00					
PMON	0.00					

Dataset:	20190608_extraction_mt fed glenfair 8w-20-18_cbl db: field\well\run1\pass3
Total length:	15.67 ft
Total weight:	185.60 lb
O.D.	2.75 in

Company	Extraction Oil and Gas, Inc.
Well	Mt Fed Glenfair 8W-20-18
Field	Wattenberg
County	Weld
State	Colorado Country U.S.A.