



## Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well FED 22A-14_496 - Slot ES_6
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Project:</b>	Garfield County, CO (UTM 12N)	<b>MD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU J14 496 PAD	<b>North Reference:</b>	True
<b>Well:</b>	FED 22A-14_496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	PLAN #1		

<b>Project</b>	Garfield County, CO (UTM 12N)		
<b>Map System:</b>	Universal Transverse Mercator (US Survey Feet)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 - Western US		
<b>Map Zone:</b>	Zone 12N (114 W to 108 W)		

Site		SEC 14-T4S-R96W ELU J14 496 PAD			
Site Position:		Northing:	14,430,033.00 usft	Latitude:	39.700997
From:	Map	Easting:	2,445,893.00 usft	Longitude:	-108.136570
Position Uncertainty:	3.28 usft	Slot Radius:	13-3/16 "	Grid Convergence:	1.83 °

Well	FED 22A-14_496 - Slot ES_6					
Well Position	+N/-S	0.00 usft	Northing:	14,429,967.90 usft	Latitude:	39.700804
	+E/-W	0.00 usft	Easting:	2,446,055.80 usft	Longitude:	-108.135999
Position Uncertainty		3.28 usft	Wellhead Elevation:	usft	Ground Level:	7,902.00 usft

<b>Wellbore</b>	OH				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	HDGM_FILE	12/31/2018	9.57	65.87	51,321.50000000

<b>Design</b>	PLAN #1			
<b>Audit Notes:</b>				
<b>Version:</b>	<b>Phase:</b>	PLAN	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N/-S (usft)</b>	<b>+E/-W (usft)</b>	<b>Direction (°)</b>
	0.00	0.00	0.00	37.63

<b>Plan Sections</b>										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
350.00	0.00	0.00	350.00	0.00	0.00	0.00	0.00	0.00	0.00	
416.67	2.00	60.00	416.65	0.58	1.01	3.00	3.00	0.00	60.00	
476.67	2.00	60.00	476.62	1.63	2.82	0.00	0.00	0.00	0.00	
1,031.88	18.50	38.61	1,021.15	75.84	66.64	3.00	2.97	-3.85	-23.82	
8,429.01	18.50	38.61	8,035.89	1,910.22	1,531.55	0.00	0.00	0.00	0.00	
9,045.78	0.00	0.00	8,642.00	1,987.36	1,593.16	3.00	-3.00	0.00	180.00	
9,115.29	1.39	250.00	8,711.50	1,987.08	1,592.37	2.00	2.00	-158.26	250.00	
12,808.88	1.39	250.00	12,404.00	1,956.42	1,508.16	0.00	0.00	0.00	0.00	FED 22A-14_496_PB

# Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well FED 22A-14_496 - Slot ES_6
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Project:</b>	Garfield County, CO (UTM 12N)	<b>MD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU J14 496 PAD	<b>North Reference:</b>	True
<b>Well:</b>	FED 22A-14_496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	PLAN #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	
350.00	0.00	0.00	350.00	0.00	0.00	0.00	0.00	0.00	Start Build 3.00
400.00	1.50	60.00	399.99	0.33	0.57	0.61	3.00	3.00	
416.67	2.00	60.00	416.65	0.58	1.01	1.08	3.00	3.00	Start 60.00 hold at 416.67 MD
476.67	2.00	60.00	476.62	1.63	2.82	3.01	0.00	0.00	Start DLS 3.00 TFO -23.82
500.00	2.66	53.89	499.93	2.15	3.61	3.91	3.00	2.81	
600.00	5.59	44.48	599.66	6.99	8.89	10.97	3.00	2.93	
700.00	8.57	41.56	698.89	16.04	17.25	23.24	3.00	2.98	
800.00	11.56	40.15	797.34	29.27	28.65	40.68	3.00	2.99	
900.00	14.55	39.31	894.74	46.66	43.07	63.25	3.00	2.99	
1,000.00	17.55	38.75	990.84	68.14	60.47	90.89	3.00	3.00	
1,031.88	18.50	38.61	1,021.15	75.84	66.64	100.75	3.00	3.00	Start 7397.13 hold at 1031.88 MD
1,100.00	18.50	38.61	1,085.75	92.73	80.13	122.36	0.00	0.00	
1,200.00	18.50	38.61	1,180.58	117.53	99.93	154.09	0.00	0.00	
1,300.00	18.50	38.61	1,275.41	142.33	119.74	185.83	0.00	0.00	
1,400.00	18.50	38.61	1,370.24	167.13	139.54	217.56	0.00	0.00	
1,500.00	18.50	38.61	1,465.07	191.93	159.34	249.29	0.00	0.00	
1,600.00	18.50	38.61	1,559.90	216.72	179.15	281.02	0.00	0.00	
1,700.00	18.50	38.61	1,654.73	241.52	198.95	312.75	0.00	0.00	
1,800.00	18.50	38.61	1,749.56	266.32	218.76	344.48	0.00	0.00	
1,900.00	18.50	38.61	1,844.39	291.12	238.56	376.21	0.00	0.00	
2,000.00	18.50	38.61	1,939.22	315.92	258.36	407.94	0.00	0.00	
2,100.00	18.50	38.61	2,034.06	340.72	278.17	439.67	0.00	0.00	
2,200.00	18.50	38.61	2,128.89	365.52	297.97	471.41	0.00	0.00	
2,300.00	18.50	38.61	2,223.72	390.31	317.77	503.14	0.00	0.00	
2,400.00	18.50	38.61	2,318.55	415.11	337.58	534.87	0.00	0.00	
2,500.00	18.50	38.61	2,413.38	439.91	357.38	566.60	0.00	0.00	
2,600.00	18.50	38.61	2,508.21	464.71	377.19	598.33	0.00	0.00	
2,700.00	18.50	38.61	2,603.04	489.51	396.99	630.06	0.00	0.00	
2,800.00	18.50	38.61	2,697.87	514.31	416.79	661.79	0.00	0.00	
2,900.00	18.50	38.61	2,792.70	539.11	436.60	693.52	0.00	0.00	
3,000.00	18.50	38.61	2,887.53	563.90	456.40	725.25	0.00	0.00	
3,100.00	18.50	38.61	2,982.36	588.70	476.20	756.99	0.00	0.00	
3,200.00	18.50	38.61	3,077.19	613.50	496.01	788.72	0.00	0.00	
3,300.00	18.50	38.61	3,172.02	638.30	515.81	820.45	0.00	0.00	
3,400.00	18.50	38.61	3,266.85	663.10	535.62	852.18	0.00	0.00	
3,441.28	18.50	38.61	3,306.00	673.33	543.79	865.28	0.00	0.00	WASATCH.NPC (TVD)
3,500.00	18.50	38.61	3,361.68	687.90	555.42	883.91	0.00	0.00	
3,600.00	18.50	38.61	3,456.51	712.69	575.22	915.64	0.00	0.00	
3,700.00	18.50	38.61	3,551.34	737.49	595.03	947.37	0.00	0.00	
3,800.00	18.50	38.61	3,646.18	762.29	614.83	979.10	0.00	0.00	
3,900.00	18.50	38.61	3,741.01	787.09	634.64	1,010.83	0.00	0.00	
4,000.00	18.50	38.61	3,835.84	811.89	654.44	1,042.57	0.00	0.00	
4,100.00	18.50	38.61	3,930.67	836.69	674.24	1,074.30	0.00	0.00	
4,200.00	18.50	38.61	4,025.50	861.49	694.05	1,106.03	0.00	0.00	
4,300.00	18.50	38.61	4,120.33	886.28	713.85	1,137.76	0.00	0.00	
4,400.00	18.50	38.61	4,215.16	911.08	733.65	1,169.49	0.00	0.00	
4,500.00	18.50	38.61	4,309.99	935.88	753.46	1,201.22	0.00	0.00	
4,600.00	18.50	38.61	4,404.82	960.68	773.26	1,232.95	0.00	0.00	

# Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well FED 22A-14_496 - Slot ES_6
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Project:</b>	Garfield County, CO (UTM 12N)	<b>MD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU J14 496 PAD	<b>North Reference:</b>	True
<b>Well:</b>	FED 22A-14_496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	PLAN #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
4,700.00	18.50	38.61	4,499.65	985.48	793.07	1,264.68	0.00	0.00	
4,800.00	18.50	38.61	4,594.48	1,010.28	812.87	1,296.41	0.00	0.00	
4,900.00	18.50	38.61	4,689.31	1,035.08	832.67	1,328.14	0.00	0.00	
5,000.00	18.50	38.61	4,784.14	1,059.87	852.48	1,359.88	0.00	0.00	
5,100.00	18.50	38.61	4,878.97	1,084.67	872.28	1,391.61	0.00	0.00	
5,200.00	18.50	38.61	4,973.80	1,109.47	892.08	1,423.34	0.00	0.00	
5,300.00	18.50	38.61	5,068.63	1,134.27	911.89	1,455.07	0.00	0.00	
5,400.00	18.50	38.61	5,163.46	1,159.07	931.69	1,486.80	0.00	0.00	
5,500.00	18.50	38.61	5,258.30	1,183.87	951.50	1,518.53	0.00	0.00	
5,600.00	18.50	38.61	5,353.13	1,208.67	971.30	1,550.26	0.00	0.00	
5,700.00	18.50	38.61	5,447.96	1,233.46	991.10	1,581.99	0.00	0.00	
5,800.00	18.50	38.61	5,542.79	1,258.26	1,010.91	1,613.72	0.00	0.00	
5,900.00	18.50	38.61	5,637.62	1,283.06	1,030.71	1,645.46	0.00	0.00	
5,972.11	18.50	38.61	5,706.00	1,300.94	1,044.99	1,668.34	0.00	0.00	WASATCH_G.NPC (TVD)
6,000.00	18.50	38.61	5,732.45	1,307.86	1,050.52	1,677.19	0.00	0.00	
6,100.00	18.50	38.61	5,827.28	1,332.66	1,070.32	1,708.92	0.00	0.00	
6,200.00	18.50	38.61	5,922.11	1,357.46	1,090.12	1,740.65	0.00	0.00	
6,300.00	18.50	38.61	6,016.94	1,382.26	1,109.93	1,772.38	0.00	0.00	
6,400.00	18.50	38.61	6,111.77	1,407.05	1,129.73	1,804.11	0.00	0.00	
6,500.00	18.50	38.61	6,206.60	1,431.85	1,149.53	1,835.84	0.00	0.00	
6,600.00	18.50	38.61	6,301.43	1,456.65	1,169.34	1,867.57	0.00	0.00	
6,700.00	18.50	38.61	6,396.26	1,481.45	1,189.14	1,899.30	0.00	0.00	
6,780.92	18.50	38.61	6,473.00	1,501.52	1,205.17	1,924.98	0.00	0.00	FORT_UNION.NPC (TVD)
6,800.00	18.50	38.61	6,491.09	1,506.25	1,208.95	1,931.04	0.00	0.00	
6,900.00	18.50	38.61	6,585.92	1,531.05	1,228.75	1,962.77	0.00	0.00	
7,000.00	18.50	38.61	6,680.75	1,555.84	1,248.55	1,994.50	0.00	0.00	
7,100.00	18.50	38.61	6,775.58	1,580.64	1,268.36	2,026.23	0.00	0.00	
7,200.00	18.50	38.61	6,870.42	1,605.44	1,288.16	2,057.96	0.00	0.00	
7,300.00	18.50	38.61	6,965.25	1,630.24	1,307.96	2,089.69	0.00	0.00	
7,400.00	18.50	38.61	7,060.08	1,655.04	1,327.77	2,121.42	0.00	0.00	
7,500.00	18.50	38.61	7,154.91	1,679.84	1,347.57	2,153.15	0.00	0.00	
7,600.00	18.50	38.61	7,249.74	1,704.64	1,367.38	2,184.88	0.00	0.00	
7,700.00	18.50	38.61	7,344.57	1,729.43	1,387.18	2,216.62	0.00	0.00	
7,800.00	18.50	38.61	7,439.40	1,754.23	1,406.98	2,248.35	0.00	0.00	
7,900.00	18.50	38.61	7,534.23	1,779.03	1,426.79	2,280.08	0.00	0.00	
8,000.00	18.50	38.61	7,629.06	1,803.83	1,446.59	2,311.81	0.00	0.00	
8,100.00	18.50	38.61	7,723.89	1,828.63	1,466.40	2,343.54	0.00	0.00	
8,200.00	18.50	38.61	7,818.72	1,853.43	1,486.20	2,375.27	0.00	0.00	
8,300.00	18.50	38.61	7,913.55	1,878.23	1,506.00	2,407.00	0.00	0.00	
8,400.00	18.50	38.61	8,008.38	1,903.02	1,525.81	2,438.73	0.00	0.00	
8,429.01	18.50	38.61	8,035.89	1,910.22	1,531.55	2,447.94	0.00	0.00	Start Drop -3.00
8,500.00	16.37	38.61	8,103.62	1,926.84	1,544.83	2,469.21	3.00	-3.00	
8,600.00	13.37	38.61	8,200.25	1,946.90	1,560.84	2,494.87	3.00	-3.00	
8,700.00	10.37	38.61	8,298.10	1,962.97	1,573.68	2,515.44	3.00	-3.00	
8,759.71	8.58	38.61	8,357.00	1,970.66	1,579.82	2,525.27	3.00	-3.00	OHIO_CREEK.NPC
8,800.00	7.37	38.61	8,396.90	1,975.02	1,583.30	2,530.86	3.00	-3.00	
8,900.00	4.37	38.61	8,496.36	1,983.02	1,589.69	2,541.09	3.00	-3.00	
9,000.00	1.37	38.61	8,596.22	1,986.94	1,592.82	2,546.10	3.00	-3.00	
9,045.78	0.00	0.00	8,642.00	1,987.36	1,593.16	2,546.65	3.00	-3.00	Start DLS 2.00 TFO 250.00
9,095.78	1.00	250.00	8,692.00	1,987.22	1,592.75	2,546.28	2.00	2.00	WILLIAMS_FORK.NPC (TVD)
9,100.00	1.08	250.00	8,696.21	1,987.19	1,592.68	2,546.22	2.00	2.00	
9,115.29	1.39	250.00	8,711.50	1,987.08	1,592.37	2,545.94	2.00	2.00	Start 3693.58 hold at 9115.29 MD

# Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well FED 22A-14_496 - Slot ES_6
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Project:</b>	Garfield County, CO (UTM 12N)	<b>MD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU J14 496 PAD	<b>North Reference:</b>	True
<b>Well:</b>	FED 22A-14_496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	PLAN #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
9,145.80	1.39	250.00	8,742.00	1,986.82	1,591.67	2,545.31	0.00	0.00	TOP_GAS.NPC (TVD)
9,200.00	1.39	250.00	8,796.19	1,986.37	1,590.44	2,544.20	0.00	0.00	
9,300.00	1.39	250.00	8,896.16	1,985.54	1,588.16	2,542.15	0.00	0.00	
9,400.00	1.39	250.00	8,996.13	1,984.71	1,585.88	2,540.11	0.00	0.00	
9,500.00	1.39	250.00	9,096.10	1,983.88	1,583.60	2,538.06	0.00	0.00	
9,600.00	1.39	250.00	9,196.07	1,983.05	1,581.32	2,536.01	0.00	0.00	
9,700.00	1.39	250.00	9,296.04	1,982.22	1,579.04	2,533.96	0.00	0.00	
9,800.00	1.39	250.00	9,396.01	1,981.39	1,576.76	2,531.91	0.00	0.00	
9,900.00	1.39	250.00	9,495.98	1,980.56	1,574.48	2,529.86	0.00	0.00	
10,000.00	1.39	250.00	9,595.95	1,979.73	1,572.20	2,527.81	0.00	0.00	
10,100.00	1.39	250.00	9,695.92	1,978.90	1,569.92	2,525.76	0.00	0.00	
10,200.00	1.39	250.00	9,795.89	1,978.07	1,567.64	2,523.71	0.00	0.00	
10,300.00	1.39	250.00	9,895.86	1,977.24	1,565.36	2,521.66	0.00	0.00	
10,400.00	1.39	250.00	9,995.83	1,976.41	1,563.08	2,519.61	0.00	0.00	
10,500.00	1.39	250.00	10,095.80	1,975.58	1,560.80	2,517.56	0.00	0.00	
10,600.00	1.39	250.00	10,195.77	1,974.76	1,558.52	2,515.52	0.00	0.00	
10,700.00	1.39	250.00	10,295.74	1,973.93	1,556.24	2,513.47	0.00	0.00	
10,800.00	1.39	250.00	10,395.72	1,973.10	1,553.96	2,511.42	0.00	0.00	
10,900.00	1.39	250.00	10,495.69	1,972.27	1,551.68	2,509.37	0.00	0.00	
11,000.00	1.39	250.00	10,595.66	1,971.44	1,549.40	2,507.32	0.00	0.00	
11,100.00	1.39	250.00	10,695.63	1,970.61	1,547.12	2,505.27	0.00	0.00	
11,200.00	1.39	250.00	10,795.60	1,969.78	1,544.84	2,503.22	0.00	0.00	
11,300.00	1.39	250.00	10,895.57	1,968.95	1,542.56	2,501.17	0.00	0.00	
11,400.00	1.39	250.00	10,995.54	1,968.12	1,540.28	2,499.12	0.00	0.00	
11,500.00	1.39	250.00	11,095.51	1,967.29	1,538.00	2,497.07	0.00	0.00	
11,583.52	1.39	250.00	11,179.00	1,966.59	1,536.10	2,495.36	0.00	0.00	CAMEO.NPC (TVD)
11,600.00	1.39	250.00	11,195.48	1,966.46	1,535.72	2,495.02	0.00	0.00	
11,700.00	1.39	250.00	11,295.45	1,965.63	1,533.44	2,492.98	0.00	0.00	
11,800.00	1.39	250.00	11,395.42	1,964.80	1,531.16	2,490.93	0.00	0.00	
11,900.00	1.39	250.00	11,495.39	1,963.97	1,528.88	2,488.88	0.00	0.00	
12,000.00	1.39	250.00	11,595.36	1,963.14	1,526.60	2,486.83	0.00	0.00	
12,100.00	1.39	250.00	11,695.33	1,962.31	1,524.32	2,484.78	0.00	0.00	
12,200.00	1.39	250.00	11,795.30	1,961.48	1,522.04	2,482.73	0.00	0.00	
12,300.00	1.39	250.00	11,895.27	1,960.65	1,519.76	2,480.68	0.00	0.00	
12,400.00	1.39	250.00	11,995.24	1,959.82	1,517.48	2,478.63	0.00	0.00	
12,500.00	1.39	250.00	12,095.22	1,958.99	1,515.20	2,476.58	0.00	0.00	
12,600.00	1.39	250.00	12,195.19	1,958.16	1,512.92	2,474.53	0.00	0.00	
12,633.82	1.39	250.00	12,229.00	1,957.88	1,512.15	2,473.84	0.00	0.00	ROLLINS.NPC (TVD)
12,700.00	1.39	250.00	12,295.16	1,957.33	1,510.64	2,472.48	0.00	0.00	
12,800.00	1.39	250.00	12,395.13	1,956.50	1,508.37	2,470.43	0.00	0.00	
12,808.88	1.39	250.00	12,404.00	1,956.42	1,508.16	2,470.25	0.00	0.00	TD at 12808.88 - TD.MBL (TVD) - FED 22A-14_

Targets									
Target Name									
- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- Shape									
FED 22A-14_496_PBHL	0.00	0.00	12,404.00	1,956.42	1,508.16	14,431,971.50	2,447,500.70	39.706173	-108.130641
- plan hits target center									
- Ellipse (radii L100.00 W50.00 on 250.00 azi)									

## Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well FED 22A-14_496 - Slot ES_6
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Project:</b>	Garfield County, CO (UTM 12N)	<b>MD Reference:</b>	GL + KB = 30' @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU J14 496 PAD	<b>North Reference:</b>	True
<b>Well:</b>	FED 22A-14_496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	PLAN #1		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
3,441.28	3,306.00	WASATCH.NPC (TVD)				
5,972.11	5,706.00	WASATCH_G.NPC (TVD)				
6,780.92	6,473.00	FORT_UNION.NPC (TVD)				
8,759.71	8,357.00	OHIO_CREEK.NPC				
9,095.78	8,692.00	WILLIAMS_FORK.NPC (TVD)				
9,145.80	8,742.00	TOP_GAS.NPC (TVD)				
11,583.52	11,179.00	CAMEO.NPC (TVD)				
12,633.82	12,229.00	ROLLINS.NPC (TVD)				
12,808.88	12,404.00	TD.MBL (TVD)				

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
350.00	350.00	0.00	0.00	Start Build 3.00	
416.67	416.65	0.58	1.01	Start 60.00 hold at 416.67 MD	
476.67	476.62	1.63	2.82	Start DLS 3.00 TFO -23.82	
1,031.88	1,021.15	75.84	66.64	Start 7397.13 hold at 1031.88 MD	
8,429.01	8,035.89	1,910.22	1,531.55	Start Drop -3.00	
9,045.78	8,642.00	1,987.36	1,593.16	Start DLS 2.00 TFO 250.00	
9,115.29	8,711.50	1,987.08	1,592.37	Start 3693.58 hold at 9115.29 MD	
12,808.88	12,404.00	1,956.42	1,508.16	TD at 12808.88	