

FORM
5

Rev
09/14

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402000794

Date Received:

04/09/2019

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type Final completion Preliminary completion

OGCC Operator Number: 98220 Contact Name: Anthony Trinko
Name of Operator: YOUNG GAS STORAGE COMPANY LTD Phone: (719) 520-4557
Address: P O BOX 1087 Fax:
City: COLORADO SPGS State: CO Zip: 80944

API Number 05-087-08060-00 County: MORGAN
Well Name: YOUNG Well Number: 29
Location: QtrQtr: NWNE Section: 14 Township: 4N Range: 58W Meridian: 6
Footage at surface: Distance: 1150 feet Direction: FNL Distance: 1700 feet Direction: FEL
As Drilled Latitude: 40.316390 As Drilled Longitude: -103.835530

GPS Data:
Date of Measurement: 04/28/2010 PDOP Reading: 3.9 GPS Instrument Operator's Name: G. H. Jarrell

** If directional footage at Top of Prod. Zone Dist.: feet Direction: Dist.: feet. Direction:
Sec: Twp: Rng:
** If directional footage at Bottom Hole Dist.: feet Direction: Dist.: feet. Direction:
Sec: Twp: Rng:

Field Name: YOUNG Field Number: 98650
Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 09/23/1994 Date TD: 09/29/1994 Date Casing Set or D&A: 10/01/1994
Rig Release Date: 10/01/1994 Per Rule 308A.b.

Well Classification:
 Dry Oil Gas/Coalbed Disposal Stratigraphic Enhanced Recovery Storage Observation

Total Depth MD 6006 TVD** Plug Back Total Depth MD 5953 TVD**

Elevations GR 4503 KB 4503 Digital Copies of ALL Logs must be Attached per Rule 308A

List Electric Logs Run:

CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Top	Cmt Bot	Status
SURF	17+1/2	13+3/8	54.5	0	280	250	0	280	VISU
1ST	12+6/10	9+5/8	36	0	89				
2ND	7+7/8	5+1/2	15.5	0	5,996	1,050	0	5,996	VISU

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to COGCC)
	Top	Bottom	DST	Cored	
CODELL	5,391				
X BENTONITE	5,678				

Operator Comments

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Anthony P. Trinko

Title: Sr. Reservoir Engineer

Date: 4/9/2019

Email: anthony_trinko@kindermorgan.com

Attachment Check List

Att Doc Num	Document Name	attached ?	
<u>Attachment Checklist</u>			
	CMT Summary *	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Directional Survey **	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Other Attachments</u>			
402000794	DRILLING COMPLETION REPORT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
402000813	WELLBORE DIAGRAM	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
402069528	FORM 5 SUBMITTED	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineering Tech	Attempted to correlated well construction from WBD (doc #402000813) to casing tab fields. 5-1/2" 2 jts w/ seal assembly (0-89') + 5-1/2" taper (89-5996') is being entered as the 2nd string, as a production string of a single diameter from surface to TD.	06/10/2019

Total: 1 comment(s)

