

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400744472

Date Received:

07/31/2019

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

4. Contact Name: Cassie Gonzalez

Phone: (303) 860-5800

Fax:

Email: Cassie.Gonzalez@pdce.com

5. API Number 05-123-38904-00

7. Well Name: SunMarke

8. Location: QtrQtr: NENE Section: 28 Township: 4N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 28V-404

Completed Interval

FORMATION: FORT HAYS Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 11/28/2014 End Date: 12/03/2014 Date of First Production this formation: 12/22/2014
Perforations Top: 7691 Bottom: 11739 No. Holes: Hole size:

Provide a brief summary of the formation treatment:

Open Hole: ☒

16 Stage Sliding Sleeve, Swell Packer set at 7,691'

Total Fluid: 87,569 bbls

Gel Fluid: 75,751 bbls

Slickwater Fluid: 11,747 bbls

15% HCl Acid: 71 bbls

Total Proppant: 3,356,800 lbs

Silica Proppant: 3,356,800 lbs

Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 87569

Max pressure during treatment (psi): 4268

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.82

Total acid used in treatment (bbl): 71

Number of staged intervals: 16

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl): 5104

Fresh water used in treatment (bbl): 87498

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 3356800

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 01/08/2015 Hours: 24 Bbl oil: 209 Mcf Gas: 858 Bbl H2O: 120
Calculated 24 hour rate: Bbl oil: 209 Mcf Gas: 858 Bbl H2O: 120 GOR: 4105
Test Method: Flowing Casing PSI: 1815 Tubing PSI: 1108 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1274 API Gravity Oil: 52
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7324 Tbg setting date: 12/04/2014 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez

Title: Regulatory Technician Date: 7/31/2019 Email: Cassie.Gonzalez@pdce.com

Attachment Check List

Att Doc Num Name

400744472 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Ready to approve.	08/07/2019
Permit	Returned to draft for AOC settlement.	09/15/2016

Total: 2 comment(s)