

**Objective Criteria Review Memo ADDENDUM - Bayswater Exploration
COT East M-30-29HN -- Form 2 Application for Permit to Drill (APD) Doc# 401922637**

**Approved Form 2A Oil & Gas Location Assessment (Doc# 401922636, approved 7/16/2019)
Location ID# 466071**

The Form 2A for this Oil & Gas Location was reviewed concurrently with all 32 APDs proposed for this Location. COGCC's technical review of the 2A and all 32 APDs included review within the context of SB 19-181 and the required Objective Criteria. Objective Criteria Review Memo, Doc# 2479112, is in the Location's file in COGCC's database. This Addendum provides additional information regarding the delayed approvals of the 32 APDs permitted at this Location, and a correction to the existing Objective Criteria Review Memo.

Delayed Approval of APDs:

20 of the APDs were approved on 8/16/2019, after the issuance of Spacing Orders 407-2873 and 407-2874 for applicable Drilling and Spacing Units. The remaining 12 APDs required further review and consideration of public comments received on the applications.

The remaining 12 APDs also include a request for the wells to be completed in wellbore spacing units (WSUs) as designated per Rule 318A.a.(4).D. Per Rule 318A.e.(5), the operator notified all mineral owners within the proposed WSUs at least 30 days prior to submitting the Form 2 APD. No valid objections were received, or, any valid objections received have been resolved and are no longer ongoing. The Form 2 APDs do not require a hearing for the approval of the spacing units; a WSU is approved administratively with the approval of the Form 2 APD.

Correction to Objective Criteria Review Memo (Doc# 2479112):

Under Criteria 1 - The Memo incorrectly states a Building Unit is approximately 1,490 feet northwest of the Location. This Building Unit is actually to the **northeast** of the Location and was considered during the Objective Criteria review.