



Anadarko Petroleum Corporation
jdb 15-11hz

200425
Weld
KirkKallhoff
3/12/2019

Treatment Report Page 2

DESCRIPTION OF JOB EVENTS

X 3-12-14
Date



Bison Oil Well Cementing Single Cement Surface Pipe

Date: 3/11/2019
Invoice #: 200425
API#:
Foreman: KirkKallhoff

Customer: Anadarko Petroleum Corporation

Well Name: jdb 15-11hz

County: Weld
State: Colorado
Sec: 30
Twp: 2N
Range: 65w
Consultant: dave
Rig Name & Number: Cartel 88
Distance To Location: 34
Units On Location: 4047/4044/4032
Time Requested: 100 am
Time Arrived On Location: 1030 pm
Time Left Location: 4:00 pm

WELL DATA

Casing Size OD (in) : 9.625
Casing Weight (lb) : 36.00
Casing Depth (ft.) : 1,838
Total Depth (ft) : 1848
Open Hole Diameter (in.) : 13.50
Conductor Length (ft) : 80
Conductor ID : 15.25
Shoe Joint Length (ft) : 41
Landing Joint (ft) : 8

Max Rate: 8
Max Pressure: 2000

Cement Data

Cement Name: BFN III
Cement Density (lb/gal) : 14.2
Cement Yield (cuft) : 1.48
Gallons Per Sack: 7.40
% Excess: 10%
Displacement Fluid lb/gal: 8.3
BBL to Pit:
Fluid Ahead (bbls): 30.0
H2O Wash Up (bbls): 10.0

Spacer Ahead Makeup
30 bbl with Die in 2nd 10

Casing ID

8.921

Casing Grade

J-55 only used

Calculated Results

cuft of Shoe 17.80 cuft
(Casing ID Squared) X (.005454) X (Shoe Joint ft)
cuft of Conductor 61.05 cuft
(Conductor Width Squared) - (Casing Size OD Squared) X (.005454) X (Conductor Length ft)
cuft of Casing 945.11 cuft
(Open Hole Squared) - (Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length)
Total Slurry Volume 1023.95 cuft
(cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)
bbls of Slurry 182.37 bbls
(Total Slurry Volume) X (.1781)
Sacks Needed 692 sk
(Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)
Mix Water 121.90 bbls
(Sacks Needed) X (Gallons Per Sack) ÷ 42

Displacement: 139.54 bbls

(Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)

Pressure of cement in annulus

Hydrostatic Pressure: 1355.89 PSI

Pressure of the fluids inside casing

Displacement: 774.83 psi

Shoe Joint: 30.25 PSI

Total 805.08 psi

Differential Pressure: 550.81 psi

Collapse PSI: 2020.00 psi

Burst PSI: 3520.00 psi

Total Water Needed: 301.44 bbls

X 
Authorization To Proceed

SERIES 2000

