





gyrodata

5 in / 100 ft

Database File	20190831_extraction_ad fed library20w-25-17_cbl\20190831_extraction_ad fed library20w-25-17_cbl.db
Dataset Pathname	pass4.1
Presentation Format	rcbl_8s
Dataset Creation	Sat Aug 31 09:26:12 2019
Charted by	Depth in Feet scaled 1:240



Calibration Report

Database File	d:\warrior\data\20190831_extraction_ad fed library20w-25-17_cbl\20190831_extraction_ad fed library20w-25
Dataset Pathname	pass5.2
Dataset Creation	Sat Aug 31 09:24:48 2019

Temperature Calibration Report

Serial Number:	11232857
Tool Model:	016
Performed:	Fri Aug 23 12:26:02 2019

Point #	Reading		Reference	
1	12059.00	cps	68.58	degF
2	18096.00	cps	104.97	degF
3	30079.00	cps	176.88	degF
4	42181.00	cps	249.10	degF
5	54304.00	cps	321.22	degF
6	59977.00	cps	355.08	degF
7		cps		degF
8		cps		degF
9		cps		degF
10		cps		degF

Gamma Ray Calibration Report

Serial Number:	11297829	
Tool Model:	020	
Performed:	Mon Aug 26 15:15:06 2019	
Calibrator Value:	230.0	GAPI
Background Reading:	43.5	cps
Calibrator Reading:	348.0	cps
Sensitivity:	0.7552	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	11256916	
Tool Model:	004	
Calibration Casing Diameter:	0.000	in
Calibration Depth:	0.000	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3FT	-0.001	0.983	0.000	72.000	73.205	0.040
5FT	-0.005	0.974	0.000	72.000	73.471	0.404
S1	-0.002	1.433	0.000	72.000	50.181	0.083
S2	-0.000	1.481	0.000	72.000	48.603	0.002
S3	-0.000	1.439	0.000	72.000	50.025	0.012
S4	0.000	1.467	0.000	72.000	49.098	-0.012
S5	-0.001	1.422	0.000	72.000	50.630	0.029
S6	-0.001	1.423	0.000	72.000	50.561	0.028
S7	-0.001	1.400	0.000	72.000	51.409	0.034
S8	-0.001	1.427	0.000	72.000	50.419	0.034



Sensor	Offset (ft)	Description	Length (ft)	O.D. (in)	Weight (lb
		CableHead-TitanConeType2	1.03	1.44	3.60
		XTU-011 (11275579)	1.54	1.69	2.76
		PRC-020/022 6 Arm	2.99	2.38	21.40
CBLROT	12.92	RBT-004 (11256916)	9.48	3.13	140.00
WVFS8	12.92				
WVFS7	12.92				
WVFS6	12.92				
WVFS5	12.92				
WVFS4	12.92				
WVFS3	12.92				
WVFS2	12.92				
WVFS1	12.92				
WVF3FT	12.92				
WVF5FT	11.92				
CBLTEMP	7.78				
CCL	6.69	CCL-028 (11318280) 3 1/8	1.61	3.13	36.00
		PRC-020/022 6 Arm	2.99	2.38	21.40
GR	1.76	PGR-020 (11297829)	1.92	1.69	9.50
TEMP	0.37				
HVOLTX	0.00				
ITEMPX	0.00				
TSTAMP	0.00				
LOCTIM	0.00	PRT-016 (11232857)	1.04	1.69	5.20
UTCTIM	0.00	BUL-006	0.22	1.69	1.20

Dataset:	20190831_extraction_ad fed library20w-25-17_cbl.db: field/well/run1/pass5.2
Total length:	22.82 ft
Total weight:	241.06 lb
O.D.:	3.13 in

gyrodata

Company	Extraction Oil and Gas Inc.
Well	AD Fed Library 20W-25-17
Field	Wattenberg
County	Weld
State	Colorado
Country	U.S.A.