

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402172129

Date Received:

09/11/2019

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 4 CAs from the FIR responded to on this Form

1 CA Completed

0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Susana Lara-Mesa

Phone

303-825-4822

Email

slaramesa@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 693501280

Inspection Date: 09/05/2019

FIR Submit Date: 09/05/2019

FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 318480

Location Name: MARVIN E. SCHUTT UNIT-62N67W Number: 28SENE County: WELD

Qtrqtr: SENE Sec: 28 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.110801 Longitude: -104.888588

FACILITY - API Number: 05-123-00 Facility ID: 241373

Facility Name: MARVIN E. SCHUTT UNIT Number: 1

Qtrqtr: SENE Sec: 28 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.110801 Longitude: -104.888588

CORRECTIVE ACTIONS:

3 CA# 130170

Corrective Action: All pumps, pits, and producing facilities shall be adequately fenced to prevent access by unauthorized persons when the producing site or equipment is easily accessible to the public and poses a physical or health hazard.

Date: 10/05/2019

Response: CA COMPLETED

Date of Completion: 09/10/2019

Operator
Comment:

KPK maintains that the barbed wire fencing currently located around the pumpjack satisfies that requirements of COGCC Rule 605.c.(3). As written, Rule 605.c.(3) requires that: "All pumps, pits, and producing facilities shall be adequately fenced to prevent access by unauthorized persons when the producing site or equipment is easily accessible to the public and poses a physical or health hazard." Here, the barbed wire fence effectively prevents

access by unauthorized person. Unauthorized persons would have to intentionally cut and remove the fence to gain access to the production equipment. Moreover, it is inherently dangerous and extremely difficult for anyone to try to climb over this type of fencing. Finally, in the event of a trespass by unauthorized persons, all equipment contains proper OSHA guarding.

COGCC Decision: _____

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Steve Hamilton

Signed: _____

Title: Field Supervisor

Date: 9/11/2019 9:52:09 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

--	--

Total Attach: 0 Files