

FORM 5A

Rev 06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 89-2109



DE	ET	OE	ES
----	----	----	----

Document Number: 402172776

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100264 4. Contact Name: Zack Simpson
 2. Name of Operator: XTO ENERGY INC Phone: (970) 675-4064
 3. Address: 110 W 7TH STREET Fax: _____
 City: FORTH WORTH State: TX Zip: 76102 Email: Zackary_Simpson@xtoenergy.com

5. API Number 05-103-10526-00 6. County: RIO BLANCO
 7. Well Name: PICEANCE CREEK UNIT Well Number: T35X-11G2
 8. Location: QtrQtr: NESW Section: 11 Township: 2S Range: 97W Meridian: 6
 9. Field Name: PICEANCE CREEK Field Code: 68800

Completed Interval

FORMATION: COZZETTE Status: ABANDONED WELLBORE/COMPLETION Treatment Type: _____
 Treatment Date: _____ End Date: _____ Date of First Production this formation: _____
 Perforations Top: 11676 Bottom: 11868 No. Holes: 24 Hole size: _____
 Provide a brief summary of the formation treatment: _____ Open Hole:
 This formation is commingled with another formation: Yes No
 Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
 Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
 Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
 Total acid used in treatment (bbl): _____ Number of staged intervals: _____
 Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
 Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
 Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:
 Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
 Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: Isolated water CIBP set @ 11,430'

Date formation Abandoned: 02/12/2019 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 11430 ** Sacks cement on top: 1 ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: ABANDONED Treatment Type: _____
WELLBORE/COMPLETION

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 11959 Bottom: 12410 No. Holes: 72 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: Isolated water CIBP set @ 11,430'

Date formation Abandoned: 02/12/2019 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 11430 ** Sacks cement on top: 1 ** Wireline and Cement Job Summary must be attached.

FORMATION: OHIO CREEK Status: PRODUCING Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 7303 Bottom: 7384 No. Holes: 24 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: ROLLINS Status: ABANDONED Treatment Type: _____
WELLBORE/COMPLETION

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 11532 Bottom: 11536 No. Holes: 12 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: Isolated water CIBP set @ 11,430'

Date formation Abandoned: 02/12/2019 Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: 11430 ** Sacks cement on top: 1 ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 7510 Bottom: 11320 No. Holes: 444 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WASATCH G Status: PRODUCING Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 7200 Bottom: 7204 No. Holes: 12 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole:

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Sephra Baca

Title: Regulatory Anaylst Date: _____ Email: sephra_baca@xtoenergy.com

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
402173334	WELLBORE DIAGRAM
402173335	WIRELINE JOB SUMMARY

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)