

Location:	CPC 75 K#2
Line:	Well to Separator
Technicians:	Cody Baylis
Date	9/9/2019
Time	Pressure (PSI)
7:45:10 PM	0
7:45:40 PM	0
7:46:10 PM	0
7:46:40 PM	0
7:47:10 PM	0
7:47:40 PM	10.2
7:48:10 PM	10.2
7:48:40 PM	12.2
7:49:10 PM	22.3
7:49:40 PM	43.1
7:50:10 PM	69.6
7:50:40 PM	94.8
7:51:10 PM	96.9
7:51:40 PM	96.4
7:52:10 PM	96.2
7:52:40 PM	96
7:53:10 PM	95.9
7:53:40 PM	95.8
7:54:10 PM	95.7
7:54:40 PM	95.6
7:55:10 PM	95.6
7:55:40 PM	95.5
7:56:10 PM	95.4
7:56:40 PM	95.3
7:57:10 PM	95.3
7:57:40 PM	95.2
7:58:10 PM	95.2
7:58:40 PM	95.1
7:59:10 PM	95.1
7:59:40 PM	95
8:00:10 PM	95
8:00:40 PM	95
8:01:10 PM	95
8:01:40 PM	94.9
8:02:10 PM	94.9
8:02:40 PM	94.9
8:03:10 PM	94.9
8:03:40 PM	94.8
8:04:10 PM	94.8
8:04:40 PM	94.8
8:05:10 PM	94.8
8:05:40 PM	94.7

8:06:10 PM	94.7
8:06:40 PM	94.7
8:07:10 PM	94.7
8:07:40 PM	94.6
8:08:10 PM	94.7
8:08:40 PM	94.6
8:09:10 PM	94.6
8:09:40 PM	94.6
8:10:10 PM	94.6
8:10:40 PM	94.6
8:11:10 PM	94.6
8:11:40 PM	94.5
8:12:10 PM	94.6
8:12:40 PM	94.5
8:13:10 PM	94.6
8:13:40 PM	94.5
8:14:10 PM	94.5
8:14:40 PM	94.5
8:15:10 PM	94.5
8:15:40 PM	94.5
8:16:10 PM	94.5
8:16:40 PM	94.4
8:17:10 PM	94.5
8:17:40 PM	94.4
8:18:10 PM	94.4
8:18:40 PM	94.4
8:19:10 PM	94.4
8:19:40 PM	94.4
8:20:10 PM	94.4
8:20:40 PM	94.3
8:21:10 PM	94.4
8:21:40 PM	94.3
8:22:10 PM	94.4
8:22:40 PM	94.3
8:23:10 PM	94.3
8:23:40 PM	94.3
8:24:10 PM	94.3
8:24:40 PM	94.3
8:25:10 PM	94.3
8:25:40 PM	94.3
8:26:10 PM	94.3
8:26:40 PM	94.3
8:27:10 PM	94.3
8:27:40 PM	94.3
8:28:10 PM	94.3
8:28:40 PM	94.2
8:29:10 PM	94.3

8:29:40 PM	94.3
8:30:10 PM	94.3
8:30:40 PM	94.2
8:31:10 PM	94.3
8:31:40 PM	94.2
8:32:10 PM	94.4
8:32:40 PM	94.1
8:33:10 PM	93.9
8:33:40 PM	8.8
8:34:10 PM	0
8:34:40 PM	0
8:35:10 PM	0
8:35:40 PM	0
8:36:10 PM	0

Pass/Fail

% loss over 30 minutes	1.88%	Less than 10%	Yes		
% loss in last 5 minutes	0.11%	Less than 1%	Yes		Pass

