

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402187893

Date Received:

09/25/2019

**FIR RESOLUTION FORM**

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

**OPERATOR INFORMATION**

OGCC Operator Number: 10112

Name of Operator: FOUNDATION ENERGY MANAGEMENT LLC

Address: 5057 KELLER SPRINGS RD STE 650

City: ADDISON State: TX Zip: 75001

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name

Daniel Steerman

Phone

970-630-4330

Email

regulatory@foundationenergy.com

**COGCC INSPECTION SUMMARY:**

FIR Document Number: 696200782

Inspection Date: 09/16/2019

FIR Submit Date: 09/23/2019

FIR Status: \_\_\_\_\_

**Inspected Operator Information:**

Company Name: FOUNDATION ENERGY MANAGEMENT LLC

Company Number: 10112

Address: 5057 KELLER SPRINGS RD STE 650

City: ADDISON State: TX Zip: 75001

**LOCATION - Location ID: 303599**

Location Name: GROSECLOSE-64S43W Number: 30NWNE County: \_\_\_\_\_

Qtrqr: NWNE Sec: 30 Twp: 4S Range: 43W Meridian: 6

Latitude: 39.685985 Longitude: -102.222626

**FACILITY - API Number: 05-125-00 Facility ID: 303599**

Facility Name: GROSECLOSE-64S43W Number: 30NWNE

Qtrqr: NWNE Sec: 30 Twp: 4S Range: 43W Meridian: 6

Latitude: 39.685985 Longitude: -102.222626

**CORRECTIVE ACTIONS:**

1 ☒ CA# 130916

Corrective Action: Foundation shall conduct reclamation in accordance with COGCC 1000 series rules on the degraded adjacent lands due to stormwater runoff. Foundation shall establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of pre-disturbance or reference area levels. A seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS will be used. Foundation will ensure erosion controls are implemented to stabilize the seeded soil. Foundation shall conduct ongoing reclamation and stormwater monitoring/management until passing "Final Reclamation" pursuant to 1004 rules.

Date: 09/16/2019

Response: CA COMPLETED

Date of Completion: 09/19/2019

Stormwater management and surface disturbance minimization resolved

Operator  
Comment:

COGCC Decision: **Not Approved**

COGCC  
Representative:

COGCC Decision "Not Approved".

Photos provided show work conducted on the pad. Operator has not provided any documentation or details regarding the issues observed off-location.

A field inspection will be conducted at a future date to evaluate compliance with COGCC rules.

2  CA# 130917

Corrective Action: SEE "COGCC COMMENTS" FOR CORRECTIVE ACTION REGARDING  
STORMWATER

Date: 09/16/2019

Response: CA COMPLETED

Date of Completion: 09/18/2019

Operator  
Comment:

Stormwater management corrected

COGCC Decision: **Not Approved**

COGCC  
Representative:

COGCC Decision "Not Approved".

Operator has not provided any details, or documentation detailing that required stormwater and erosion control BMPs have been installed on location, and on areas where issues were observed off-location.

A field inspection will be conducted at a future date to evaluate compliance with COGCC rules.

#### OPERATOR COMMENT AND SUBMITTAL

Comment: Actions corrected and resolved

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Alyssa Beard

Signed: \_\_\_\_\_

Title: HSE Manager

Date: 9/25/2019 7:13:17 AM

### ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402187893	FIR RESOLUTION SUBMITTED
402187895	Groseclose 31-30
402187897	Groseclose 31-30
402187898	Groseclose 31-30

Total Attach: 4 Files