



Company
Well
Interval
Created

Bonanza Creek Oil Company

State Antelope K-O-28HNB

Date From: 2015-10-16 04:31

Top: 1600.00

Date To: 2015-10-17 09:04

Bottom: 6771.00


2015-10-17 08:29

Source




Description

F_ORIG.
F_RL002



ORIG.:R001-R002
ORIG.:R001:RL002






MD 1:240 feet
1600





MD 1:240 feet
1600

















2600







2700


2800









3100









3400


3500






3600








3700


3800














4400






4500


4600









4900










5200


5300





5400






5500

5600







5700



5800







5900











6400






6500


0099





6700

6800



R2<

<p>Gamma Ray - Apparent 0.5 ft Average GRAX</p> <p>0 200</p>	<p>MD 1:240 feet</p>	<p>Rate of Penetration of bit 3 ft Average ROPA</p> <p>1000 0</p>	<p>Weight On Bit 1 ft Average WOBA</p> <p>0 100</p>
<p>API</p> <p>True Vertical Depth TVD</p> <p>6500 5500</p>		<p>ft/h</p> <p>Gamma Time Since Drilled GRTX</p> <p>0 600</p>	<p>klb</p> <p>Downhole Temperature TCDX</p> <p>100 300</p>
<p>ft</p>		<p>min</p>	<p>degF</p>