

<b>FORM 5A</b> Rev 06/12	<b>State of Colorado</b> <b>Oil and Gas Conservation Commission</b> 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">DE</td> <td style="width:25%;">ET</td> <td style="width:25%;">OE</td> <td style="width:25%;">ES</td> </tr> </table>	DE	ET	OE	ES
DE	ET	OE	ES				
			Document Number: <div style="text-align: center; margin: 5px;">400852436</div> Date Received:				

### COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>69175</u>	4. Contact Name: <u>Cassie Gonzalez</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 860-5800</u>
3. Address: <u>1775 SHERMAN STREET - STE 3000</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>Cassie.Gonzalez@pdce.com</u>

5. API Number <u>05-123-39227-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Chesnut</u>	Well Number: <u>28U-403</u>
8. Location: QtrQtr: <u>NENE</u> Section: <u>28</u> Township: <u>5N</u> Range: <u>64W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

### Completed Interval

FORMATION: <u>CODELL</u>	Status: <u>COMMINGLED</u>	Treatment Type: _____
Treatment Date: _____	End Date: _____	Date of First Production this formation: _____
Perforations Top: <u>7335</u>	Bottom: <u>11164</u>	No. Holes: <u>1080</u> Hole size: <u>42/100</u>
Provide a brief summary of the formation treatment:		Open Hole: <input type="checkbox"/>

Completed Depths: 7,335'-11,164'

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate:	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	
Reason for Non-Production: <span style="border: 1px solid black; display: inline-block; width: 600px; height: 20px;"></span>				
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____		
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.		

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 11164 Bottom: 13746 No. Holes: 1080 Hole size: 42/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Completed Depths: 11,164'-11,376' 13,300'-13,746'

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FT HAYS-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/10/2015 End Date: 04/13/2015 Date of First Production this formation: 04/29/2015

Perforations Top: 7335 Bottom: 13836 No. Holes: 1080 Hole size: 42/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

35 Stage Plug and Perf  
 Total Fluid: 109,678 bbls  
 Gel Fluid: 86,651 bbls  
 Slickwater Fluid: 22,885 bbls  
 15% HCl Acid: 142 bbls  
 Total Proppant: 6,593,300 lbs  
 Silica Proppant: 6,593,300 lbs  
 Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 109678 Max pressure during treatment (psi): 5193

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.95

Total acid used in treatment (bbl): 142 Number of staged intervals: 35

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): 12147

Fresh water used in treatment (bbl): 109536 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 6593300 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 05/13/2015 Hours: 24 Bbl oil: 216 Mcf Gas: 822 Bbl H2O: 529

Calculated 24 hour rate: Bbl oil: 216 Mcf Gas: 822 Bbl H2O: 529 GOR: 3806

Test Method: Flowing Casing PSI: 2509 Tubing PSI: 1840 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1369 API Gravity Oil: 51

Tubing Size: 2 + 3/8 Tubing Setting Depth: 6891 Tbg setting date: 04/26/2015 Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIORARA Status: COMMINGLED Treatment Type: \_\_\_\_\_  
 Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_  
 Perforations Top: 11376 Bottom: 13836 No. Holes: 1080 Hole size: 42/100  
 Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Completed Depths: 11,376'-13,300' 13,746'-13,836'

This formation is commingled with another formation:  Yes  No  
 Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_  
 Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_  
 Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_  
 Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_  
 Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_  
 Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_  
 Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:   
 Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_  
 Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_  
 Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_  
 Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_  
 Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_  
 Reason for Non-Production: \_\_\_\_\_  
 Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_  
 \*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.  
 Signed: \_\_\_\_\_ Print Name: Cassie Gonzalez  
 Title: Regulatory Technician Date: \_\_\_\_\_ Email Cassie.Gonzalez@pdce.com

**Attachment Check List**

Att Doc Num	Name

Total Attach: 0 Files

**General Comments**

User Group	Comment	Comment Date
Permit	Return to draft for AOC settlement.	09/15/2016

Total: 1 comment(s)