

Location

Overall Good:

Signs/Marker:

Type	WELLHEAD		
Comment:	Adequate (x2)		
Corrective Action:			Date:

Emergency Contact Number:

Comment:	<input style="width: 100%;" type="text"/>		
Corrective Action:			Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	Weeds inside wellhead fencing. See attached photos.		
Corrective Action:	Comply with Rule 603.f.		Date: 10/27/2019

Overall Good:

Spills:

Type	Area	Volume			

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type	WELLHEAD		
Comment:	Panel (x2)		
Corrective Action:			Date:

Equipment:

				corrective date
Type: Plunger Lift	# 2			
Comment:				
Corrective Action:				Date:
Type: Bradenhead	# 2			
Comment:				
Corrective Action:				Date:

Venting:

Yes/No	NO		
Comment:			
Corrective Action:			Date:

Flaring:

Type			
Comment:			
Corrective Action:			Date:

Inspected Facilities

Facility ID: 249428 Type: WELL API Number: 123-17231 Status: SI Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: EQUIPMENT PRESENT/DISCONNECTED

Comment: TA; MIT requirement waived per variance doc#401474555.

Corrective Action: Date:

Facility ID: 301113 Type: WELL API Number: 123-29908 Status: SI Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: EQUIPMENT PRESENT/DISCONNECTED

Comment: TA; MIT requirement waived per variance doc#401474555.

Corrective Action: Date:

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Thursday, October 17, 2019 at approximately 10:30, I, Inspector Brittani Santistevan, conducted an on-site inspection at DL PHILLIPS 24-23, PHILLIPS 24-2-20 (Noble Energy), at location #: 336626 in WELD COUNTY Colorado. While there, I observed two temporarily abandoned wellheads. During this inspection the following possible compliance issues were observed: 1. Weeds inside both wellhead fencings. COMPLY WITH RULE 603.F. (Corrective Action Date: October 27, 2019) See attached photo #2, 4.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p> <p>Continuing Education Inspection.</p>	santistb	10/17/2019

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
679601756	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4966342