



CITY, STATE, ZIP CODE

529730 - 3

PAGE	OF
1	2

00255077

[illegible]

**SUB-TOTAL**  
**APPLICABLE TAXES**  
**WILL BE ADDED**  
**ON INVOICE**

21.6.150

## CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES

The customer hereby acknowledges receipt of the materials and services listed on this ticket.

CUSTOMER OR CUSTOMER'S AGENT (PLEASE PRINT)


**CUSTOMER OR CUSTOMER'S AGENT (SIGNATURE)**

HALLIBURTON OPERATOR/ENGINEER

EMP #

**HALLIBURTON APPROVAL**





**HALLIBURTON**

**HALLIBURTON ENERGY SERVICES**

## TICKET CONTINUATION

**COPY**

Wood 2524

TICKET

No. 529730

FORM 1911 R-9

CUSTOMER

## Ashby Drilling

WELL
------

Houston Estate 20-2

DATE \_\_\_\_\_

12-8-93

PAGE

OF

2	2
---	---

[illegible]

CONTINUATION TOTAL

872.08



## JOB SUMMARY

HALLIBURTON  
DIVISION

Denver  
Breckenridge

BILLED ON  
TICKET NO. 52

## WELL DATA

FIELD \_\_\_\_\_ SEC. 20 TWP. 9N RNG. 5W COUNTY LOGAN STATE CO

FORMATION NAME \_\_\_\_\_ TYPE \_\_\_\_\_

FORMATION THICKNESS \_\_\_\_\_ FROM \_\_\_\_\_ TO \_\_\_\_\_

INITIAL PROD: OIL \_\_\_\_\_ BPD. WATER \_\_\_\_\_ BPD. GAS \_\_\_\_\_ MCFD

PRESENT PROD: OIL \_\_\_\_\_ BPD. WATER \_\_\_\_\_ BPD. GAS \_\_\_\_\_ MCFD

COMPLETION DATE \_\_\_\_\_ MUD TYPE \_\_\_\_\_ MUD WT. \_\_\_\_\_

PACKER TYPE \_\_\_\_\_ SET AT \_\_\_\_\_

BOTTOM HOLE TEMP. \_\_\_\_\_ PRESSURE \_\_\_\_\_

MISC. DATA \_\_\_\_\_ TOTAL DEPTH \_\_\_\_\_

	NEW USED	WEIGHT	SIZE	FROM	TO	MAXIMUM PSI ALLOWABLE
CASING			8 7/8	0	200	
LINER						
TUBING DP			4 1/2	0	4590	
OPEN HOLE			7 7/8	0	4772	SHOTS/FT.
PERFORATIONS						
PERFORATIONS						
PERFORATIONS						

## JOB DATA

CALLED OUT 12 08 93 DATE TIME 0700	ON LOCATION 12 08 93 DATE TIME 0930	JOB STARTED 12 08 93 DATE TIME 1300	JOB COMPLETED 12 08 93 DATE TIME 1900
---	--	--	--

## PERSONNEL AND SERVICE UNITS

[illegible]DEPARTMENT Cont

DESCRIPTION OF JOB D779

JOB DONE THRU: ~~TUBING~~ ☒ CASING ☐ ANNULUS ☐ TBG/ANN. ☐

**CUSTOMER  
REPRESENTATIVE**

HALLIBURTON  
OPERATOR

COPIES  
REQUESTED

## CEMENT DATA

CEMENT DATA							YIELD	
STAGE	NUMBER OF SACKS	CEMENT	BRAND	BULK SACKED	ADDITIVES		YIELD CU.FT./SK.	MIXED LBS./GAL.
1	25	54-0102	.	8	27.6%		1.26	14.1
2	35	54-0102		8	27.6%		1.26	14.1
3	10	54-0102		8	27.6%		1.26	14.1

PRESSURES IN PSI

## SUMMARY

## VOLUMES

CIRCULATING _____			DISPLACEMENT _____			PRESLUSH: BBL.-GAL. _____			TYPE _____					
BREAKDOWN _____			MAXIMUM _____			LOAD & BKDN: BBL.-GAL. _____			PAD: BBL.-GAL. _____					
AVERAGE _____			FRACTURE GRADIENT _____			TREATMENT: BBL.-GAL. _____			DISPL: BBL.-GAL. _____					
SHUT-IN: INSTANT _____			5-MIN _____			15-MIN. _____			CEMENT SLURRY: BBL.-GAL. _____			TOTAL VOLUME: BBL.-GAL. _____		
HYDRAULIC HORSEPOWER _____														

## RAMARKS

ORDERED \_\_\_\_\_ AVAILABLE \_\_\_\_\_ USED \_\_\_\_\_  
AVERAGE RATES IN BPM

TREATING \_\_\_\_\_ DISPL. \_\_\_\_\_ OVERALL \_\_\_\_\_  
CEMENT LEFT IN PIPE

FEET \_\_\_\_\_ REASON \_\_\_\_\_





**JOB LOG** FORM 2013 R-3

DATE \_\_\_\_\_

120892

TICKET NO.

629.730

CUSTOMER

## Roma's Expt

WELL NO.

20-2

**LEASE**

100-443889-1

JOB TYPE
----------

PTA

[illegible]

CUSTOMER